Journal of
Applied Polymer Science

Volume 85, 2002

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark

CO-EDITOR

Anne Hiltner
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

ASSOCIATE EDITORS

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
KoSa
P.O. Box 5750
Spartanburg, SC 29304-5750

Robert A. Shick
BF Goodrich
9921 Brecksville Road
Brecksville, OH 44141-3289

William G. Perkins
Shell Chemical Company
130 Johns Avenue
Akron, OH 44305-4097

Mark A. Schubert
Energizer Battery Company
25225 Detroit Road
Westlake, OH 44145

EDITORIAL BOARD

A.-C. Albertsson
T. M. Aminabhavi
A. N. Banerjee
B. M. Baysal
D. Benko
A. Bhowmick
W. Bonfield
G. Capaccio
S. H. Carr
B. J. Chisholm
N. Chung
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
G. W. Ehrenstein
M. S. El-Aasser
A. Galeski
G. Gillberg
W. Glasser
B. Gupta
P. A. Heiden
D. J. Hourston
A. I. Isayev
S. H. Kandil
J. L. Kardos
J. Karger-Kocsis
B. K. Kim
T. Kurauchi
C. Lacabanne
J. L. Leblanc
A. J. Lesser
K. Mauritz
J. W. Mays
S. McCarthy
R. Miller
P. Molyneux
C. L. Myers
T. Nakagawa
L. Nicolais
R. M. Nowak
E. F. Oleynik
D. R. Paul
N. A. Peppas
N. A. Plate
R. E. Prud'homme
L. Rebenfeld
F. Rodriguez
J. P. Santerre
L. Shi
A. Siegmann
A. W. Snow
B. G. Soares
L. H. Sperling
D. R. Squire
J. Summers
S. C. Tjong
R. Vera-Graziano
I. M. Ward
C. Weder
R. A. Weiss
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Michele Azzaretto, Glenn Beck, Sheila Kaminsky

The *Journal of Applied Polymer Science* (Print ISSN 0021-8995; Online ISSN 1097-4628 at Wiley InterScience, www.interscience.wiley.com) is published weekly and semi-weekly in the fourth and fifth weeks of April, the fourth week of November, and the second week of December, four volumes per year, by Wiley Subscription Services, Inc., a Wiley Company, 605 Third Avenue, New York, New York 10158.

Copyright © 2002 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The copyright notice appearing at the bottom of the first page of an article in the journal indicates the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price: (Volumes 83–86, 2002) Print only: $13,495.00 in US, $14,055.00 in Canada and Mexico, $14,531.00 rest of world. Electronic only: $13,495.00 worldwide. A combination price of $14,170.00 in US, $14,730.00 in Canada and Mexico, $15,206.00 rest of world, includes the subscription in both electronic and print formats. All subscriptions containing a print element, shipped outside US, will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science*, Caroline Rothaug, Director, Subscription Fulfillment and Distribution, Subscription Department, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Jackie Sibley, c/o John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England. Tel: 44 1243 770 351; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, c/o John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel.: 212-850-8789.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science*, Publisher, c/o John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Chemical Abstracts, Chemical Titles, Chemistry Citation Index, Compendex, Current Contents/Engineering, Computing, and Technology, Current Contents/Physical, Chemical and Earth Sciences, INSPEC, ISI Alerting Services (includes Research Alert), Materials Science Citation Index, Polymer Blends, Alloys & Interpenetrating Polymer Networks Abstracts, Reaction Citation Index, Science Citation Index, SciSearch (also known as Science Citation Index-Expanded), Urethane Abstracts, World Surface Coatings Abstracts,* and *World Textiles.*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index—Volume 85

Abad, M. J.
—; Ares, A.; Barral, L.; Cano, J.; Díez, F. J.; López, J.; Ramírez, C.: Characterization of Biaxially Oriented Polypropylene Films by Atomic Force Microscopy and Microthermal Analysis, 1553
—; See López, J., 1277
Abalos, R. See Erdmann, E., 1624
Abbasi, F.
—; Mirzadeh, H.; Katbab, A. A.: Sequential Interpenetrating Polymer Networks of Poly(2-Hydroxyethyl Methacrylate) and Polydimethylsiloxane, 1825
Abd-El-Messieh, S. L.
—; Mohamed, M. G.; Mazrouaa, A. M.; Soliman, A.: Dielectric Investigation of Some Normal Alcohols and Diols Dispersed in Some Polymeric Matrices, 271
—; See Mansour, S. H., 2501
Abd El-Reheim, M. H. See Turky, G. M., 1061
Abraham, G. A. See Erdmann, E., 1624
Aceitón, E. See Rivas, B. L., 2559
Acemioglu, B.
—; Alma, M. H.: Kinetics of Wood Phenolysis in the Presence of HCl as Catalyst, 1098
Adhikari, R.
—; Michler, G. H.; Lebek, W.; Goerlitz, S.; Weidisch, R.; Knoll, K.: Morphology and Micromechanical Deformation Behavior of SB-Block Copolymers. II. Influence of Molecular Architecture of Asymmetric Star Block Copolymers, 701
—; See Michler, G. H., 683
Aglan, H. A. See Badran, B. M., 879
Agnelli, J. A. M. See Bettini, S. H. P., 2706
Ahn, H.-J. See Kim, J.-C., 2244
Ahn, Y. S. See Cho, D., 183
Aiba, S. See Pivsa-Art, S., 774
Akar, A. See Kizilcan, N., 500
Akdoğan, A. See Pulat, M., 193
Akinlabi, A. K. See Okieimen, F. E., 1070
Akkarakittimongkol, P. See Kiatkamjornwong, S., 670
Akkaş, N. See Usanmaz, A., 467
Aksoy, S. See Yerlikaya, Z., 2580
Akundy, G. S. See Shah, K. G., 1669
Alagar, M. See Dinakaran, K., 2853
Alimi, K.
—; Ayachi, S.; Mabrouk, A.; Molinie, P.; Zaidi, B.; Bernede, J. C.; Ghedira, M.: Study on the Effect of Acid- or Iodine-Doping on the Properties of Copolymer C_{1-4}Poly-Phenylene-Vinylene-Ether, 1858
Alma, M. H. See Acemioglu, B., 1098
Al Sagheer, F. A. See El-Sawy, N. M., 2692
Amalia-Pooley, S.
—; Rivas, B. L.; Maureira, A. E.: Synthesis, Characterization, and Chelating Properties of the Polymacromonomer: Poly (Ethyleneglycol) Methyl Ether Methacrylate}, 2929
Aminabhavi, T. M. See Kulkarni, A. R., 911; Toti, U. S., 2014
Anbarasan, R.
—; Jayaseharan, J.; Gopalan, A.: Peroxomonosulphate Initiated Graft Copolymerization of o-Toluidine onto Nylon 6 and Wool Fibers—A Kinetic Approach, 2317
Aneja, A.
—; Wilkes, G. L.: On the Issue of Urea Phase Connectivity in Formulations Based on Molded Flexible Polyurethane Foams, 2956
Ania, F.
—; Dunkel, M.; Bayer, R. K.; Baltá-Calleja, F. J.: Microhardness and Water Sorption in Injection-Molded Starch, 1246
Anjum, N. See Gupta, B., 282
Annadurai, V. See Londono, J. D., 2382
Antonov, A. V. See Dubnikova, I. L., 1911
Araki, J.
—; Kuga, S.; Magoshi, J.: Influence of Reagent Addition on Carbodiimide-Mediated Amidation for Poly(Ethylene Glycol) Grafting (Note), 1349
Araújo, C. R. See Tavares, M. I. B., 1465
Ares, A. See Abad, M. J., 1553
Armelin, E. See Montané, J., 1815
Arslan, H.
—; Hazer, B.; Kowalczuk, M.: Synthesis and Characterization of Poly (*R,S*)-3-hydroxybutyrate} Telechelics and Their Use In The Synthesis of Poly(methyl methacrylate)-*b*-Poly(3-hydroxybutyrate) Block Copolymers, 965
Arunprasath, R. See Vijayanand, P. S., 2261
Asín, L. See Montané, J., 1815
Aubert, J. H. See McElhanon, J. R., 1496
Ayachi, S. See Alimi, K., 1858
Ayama, K. See Fujiyama, M., 762

Babu, Y. P. P. See Reddy, G. V. R., 1503
Backman, A. C.
—; Lindberg, K. A. H.: Interaction Between Wood and Polyurethane-Alkyd Lacquer Resulting in a Decrease in the Glass Transition Temperature, 595
Bacquet, M. See Martel, B., 1771
Badran, A. S. See Turky, G. M., 1061

Badran, B. M.
—; Mohammed, H. A.; Aglan, H. A.: Effect of Different Polymers on the Efficiency of Water-Borne Methyl Amine Adduct as Corrosion Inhibitor for Surface Coatings, 879
Bairamov, D. F.
—; Chalykh, A. E.; Feldstein, M. M.; Siegel, R. A.; Plate, N. A.: Dissolution and Mutual Diffusion of Poly(*N*-vinyl pyrrolidone) in Short-Chain Poly(ethylene glycol) as Observed by Optical Wedge Microinterferometry, 1128
Baird, D. See Rangarajan, P., 69
Bajpai, A.
—; Simon, J.: Redox Initiation of Copolymerization of Styrene with Hydroxyl Terminated Polybutadiene Using Ce(IV) as an Oxidant, 244
Bajpai, A. K.
—; Bhanu, S.: *In Vitro* Release Modulation of Hemoglobin from a Ternary Polymeric Delivery Vehicle, 104
—; Sachdeva, R.: Study on the Adsorption of Hemoglobin onto Bentonite Clay Surfaces, 1607
—; Shrivastava, M.: Swelling Kinetics of a Hydrogel of Poly(ethylene glycol) and Poly(acrylamide-*co*-styrene), 1419
Balaji, R. See Vijayanand, P. S., 2261
Baldo, J. B. See Gregorio, R., Jr., 1362
Baldrian, J. See Kotek, J., 1174
Balke, S. T.
—; Mourey, T. H.; Robello, D. R.; Davis, T. A.; Kraus, A.; Skonieczny, K.: Quantitative Analysis of Star-Branched Polymers by Multidetector Size-Exclusion Chromatography, 552
Baltá-Calleja, F. J. See Ania, F., 1246
Bandgar, B. M.
—; Krishnamurthy, V. N.; Mukundan, T.; Sharma, K. C.: Mathematical Modeling of Rheological Properties of Hydroxyl-Terminated Polybutadiene Binder and Dioctyl Adipate Plasticizer, 1002
Banerjee, A. See Basu, D., 1434; See Datta, C., 2800
Banerjee, A. N. See Ganguly, S., 2025
Bannister, J. V. See Sanjust, E., 2471
Bansal, T. K. See Singh, M., 842
Bao, Y. Z.
—; Brooks, B. W.: Influences of Some Polymerization Conditions on Particle Properties of Suspension Poly(vinyl chloride) Resin, 1544
Barral, L. See Abad, M. J., 1553; López, J., 1277
Baruah, S. D. See Saikia, P. J., 1236
Basak, R. K. See Ray, D., 2594
Basu, D.
—; Datta, C.; Banerjee, A.: Biodegradability, Mechanical Properties, Melt Flow Index, and Morphology of Polypropylene/Amylose/Amylose-Ester Blends, 1434
—; See Datta, C., 2800
Bayer, R. K. See Ania, F., 1246
Bayram, G.
—; Yilmazer, U.; Xanthos, M.; Patel, S. H.: Rheological Behavior of Styrene-Maleic Anhydride/Polyol Blends Obtained through Reactive Processing, 2615
Bayramli, E. See Yerlikaya, Z., 2580
Bell, J. P. See Zheng, H., 1749
Benson, R. S. See Luo, X., 1961
Berezina, S. M. See Dubnikova, I. L., 1911
Bernede, J. C. See Alimi, K., 1858
Bertini, S. See Martel, B., 1771
Bettini, S. H. P.
—; Agnelli, J. A. M.: Grafting of Maleic Anhydride onto Polypropylene by Reactive Extrusion, 2706
Betz, N. See Guignot, C., 1970
Bhanu, S. See Bajpai, A. K., 104
Bhanu, V. See Rangarajan, P., 69
Bhattacharya, P. See Ganguly, S., 2025
Bhattacharyya, A. R.
—; Maiti, S. N.; Misra, A.: Mechanical Properties and Morphology of PA6/EVA Blends, 1593
Bhowmick, A. K. See Kumar, B., 1484
Bi, Y. See Lin, Q., 536
Biasotto Mano, E. See Miguez Suarez, J. C., 886
Bidkar, S. H. See Hundiwale, D. G., 995
Bignotti, F. See Sartore, L., 1287
Bisson, I. See Gupta, B., 1874
Blum, G. Z. See Ryabenko, E. A., 906
Boey, F. Y. C.
—; Song, X. L.; Rath, S. K.; Yue, C. Y.: Cure Reaction for Modified Diallylbisphenol A/Diaminodiphenylsulfone/Bismaleimide, 227
Bokobza, L.
—; Rapoport, O.: Reinforcement of Natural Rubber, 2301
Bontea, D.
—; A Structural–Thermodynamic Study of Triphenylsilylcellulose, 2875
Boodhoo, K. V. K.
—; Dunk, W. A. E.; Jachuck, R. J.: Influence of Centrifugal Field on Free-Radical Polymerization Kinetics, 2283
Borthakur, A. See Sabhapondit, A., 1521
Bozkurt, A.
—; Parlak, M.; Erçelebi, Ç.; Toppare, L.: Conduction Mechanism in H-Type Polysiloxane–Polypyrrole Block Copolymers, 52
Brar, A. S.
—; Kumar, R.: Investigation of Microstructure of the *N*-Vinyl-2-pyrrolidone/Methyl Methacrylate Copolymers by NMR Spectroscopy, 1328
Brook, M. A. See Eikeland, M. S., 2458
Brooks, B. W. See Bao, Y. Z., 1544
Broughton, R. M. See Lin, J., 177
Brown, R. J. See Poché, D. S., 2178
Bruno Tavares, M. I. See Miguez Suarez, J. C., 886
Bukharov, S. V. See Shanina, E. L., 2239
Bystrov, S. G. See Kodolov, V. I., 1477

Cádiz, V. See Ruiz, J., 1644
Calvert, P. D. See Liu, Z. S., 2100
Camacho, W.
—; Karlsson, S.: Simultaneous Determination of Molecular Weight and Crystallinity of Recycled HDPE by Infrared Spectroscopy and Multivariate Calibration, 321
—; See Vallés-Lluch, A., 2211
Cano, J. See Abad, M. J., 1553; See López, J., 1277
Cao, F.
—; Kim, D.-P.; Li, X.-D.; Feng, C.-X.; Song, Y.-C.: Synthesis of Polyaluminocarbosilane and Reaction Mechanism Study, 2787
Cao, K. See Fan, R., 2635
Cao, M.
—; Xie, P.; Jin, Z.; Zhang, Y.; Zhang, R.; Chung, T.-S.; He, C.: Novel Microencapsulated Curing Accelerator for Prolonging Shelf Life of Epoxy Resin Composition, 873
Carvalho De Araújo, S.
—; Kawano, Y.: Near-Infrared Spectra of Polyamide 6, Poly(vinyl chloride), and Polychlorotrifluoroethylene, 199
Castro, A. See Núñez, L., 366
Chakraborty, S. See Ganguly, S., 2025
Chalykh, A. E. See Bairamov, D. F., 1128
Chan, C.-M. See Feng, J., 358
Chang, D.-J. See Lin, S.-S., 2172
Chang, F.-C. See Tseng, C.-R., 1370
Chang, I.-S. See Kim, J.-W., 328
Chappelow, C. C. See Pinzino, C. S., 159
Charayev, A. M. See Ozden, S., 485
Charmas, W.
—; Nowak, J.; Majewski, W.: Synthesis, Structure, and Properties of the Addition Products Bis *p*-(2,3-epoxypropyl)thiophenyl]methane with Methacrylic Acid, 1806
Chauhan, G. S.
—; Mahajan, S.: Structural Aspects and Nature of Swelling Medium As Equilibrium Swelling Determinants of Acrylamide and Cellulosic-Based Smart Hydrogels, 1161
Chen, C.-H.
—; Application of Factorial Experimental Design to Study the Influence of Polymerization Conditions on the Yield of Polyaniline Powder, 1571
Chen, C.-J. See Twu, Y.-K., 9
Chen, C.-Y. See Wang, C.-C., 919
Chen, D. See Lei, C., 2793; See Lin, X., 638; Zhang, Q., 1458
Chen, F. See Wang, F., 785
Chen, J. See Zhu, Q., 2431
Chen, K.-J. See Huang, W.-K., 1980
Chen, K.-N. See Huang, W.-K., 1980
Chen, L. See Huang, A., 989
Chen, L. M. See Yan, Z., 1587
Chen, M. See Feng, J., 1742; Ye, S., 1170
Chen, M.-T. See Lin, S.-S., 2172
Chen, S. See Dan, Y., 2839
Chen, S.-H. See Lin, S.-S., 2172
Chen, X. See Wang, S., 422
Chen, X.-G. See Peng, Z., 2952
Chen, Y. See Cheng, S., 1147
Chen, Y.-C. See Su, F.-H., 1888
Chen, Z. See Cheng, S., 1147
Cheng, G. X. See Wan, Y. Z., 1031
Cheng, I. J. See Lin, J. J., 612
Cheng, S.
—; Chen, Y.; Chen, Z.: Core–Shell Latex Containing Fluorinated Polymer Rich in Shell, 1147
Cheng, Z. See Zhan, C., 2718
Cherfi, A.
—; Fevotte, G.; Novat, C.: Robust On-Line Measurement of Conversion and Molecular Weight Using NIR Spectroscopy During Solution Polymerization, 2510
Chian, K. S.
—; Du, X. Y.; Goy, H. A.; Feng, J. L.; Yi, S.; Yue, C. Y.: Synthesis of Bismaleimide Resin Containing the Poly(ethylene glycol) Side Chain: Curing Behavior and Thermal Properties, 2935
Chiang, Y. L. See Wang, L. F., 114
Chiellini, F.
—; Petrucci, F.; Ranucci, E.; Solaro, R.: Bioerodible Hydrogels Based on 2-Hydroxyethyl Methacrylate: Synthesis and Characterization, 2729
Chiu, Y. S. See Wu, C. S., 2254
Chmiel-Szukiewicz, E. See Kucharski, M., 1154
Cho, C. See Pyo, M., 514
Cho, D.
—; Ahn, Y. S.; Lee, J. Y.: Effect of Resin Impregnation Methods at the Early Stage of Densification on the Impregnation Efficiency, Microstructure, and Thermal Stability of Carbon–Carbon Composites, 183
Cho, K. See Song, S. M., 2202
Cho, K. Y. See Jung, K.-I., 2764
Cho, U. See Lin, J., 177
Cho, W.-J. See Zhou, M. H., 2119
Choe, B. Y. See Suh, T. S., 2361
Choee, J.-H. See Khang, G., 1253
Choi, H.-J. See Lee, D.-H., 38
Choi, S.-H.
—; Kim, M.-S.; Ryoo, J. J.; Lee, K.-P.; Shin, H.-D.; Kim, S.-H.; Lee, Y.-H.: Immobilization of a Cyclodextrin Glucanotransferase (CGTase) onto Polyethylene Film with a Carboxylic Acid Group and Production of Cyclodextrins from Corn Starch using CGTase-Immobilized PE Film, 2451
Choi, S.-S.
—; Properties of Silica-Filled Styrene–Butadiene Rubber Compounds Containing Acrylonitrile–Butadiene Rubber: The Influence of the Acrylonitrile–Butadiene Rubber Type, 385
Choi, W.-M.
—; Park, C.-I.; Park, O. O.; Lim, J.-G.: Preparation and Characterization of Syndiotactic Polystyrene/Ethylene-Propylene Copolymer Blends, 2084
Chuang, C.-M. See Su, W.-F. A., 2419
Chun, H. J. See Suh, T. S., 2361
Chung, T.-S. See Cao, M., 873
Clarson, S. J. See Malik, J., 856
Cocco, D. See Sanjust, E., 2471
Cordeiro, C. See Wu, X. Q., 2219

Cranford, R. J. See Huang, J., 139
Creagh, D. C. See Jar, P.-Y. B., 17
Crini, G. See Martel, B., 1771
Cruz, G. J. See Morales, J., 263
Curreli, N. See Sanjust, E., 2471

Dai, G. See Lin, Q., 536, 2824
Damodaran, S. See Rathna, G. V. N., 45
D'Amore, A. See Sartore, L., 1287
Damronglerd, S. See Kangwansupamonkon, W., 654
Dan, Y.
—; Yang, Y.; Chen, S.: Synthesis and Structure of the Poly(methyl methacrylate) Microlatex, 2839
Datta, C.
—; Basu, D.; Banerjee, A.: Mechanical and Dynamic Mechanical Properties of Jute Fibers–Novolac–Epoxy Composite Laminates, 2800
—; See Basu, D., 1434
Dave, A. M. See Kulkarni, A. R., 911
Davis, T. A. See Balke, S. T., 552
De, P. P. See Kumar, B., 1484
De, S. K. See Kumar, B., 1484
Degirmenci, M.
—; Hepuzer, Y.; Yagci, Y.: One-Step, One-Pot Photoinitiation of Free Radical and Free Radical Promoted Cationic Polymerizations, 2389
Del Campo, A. See González, L., 491
Demicheva, O. V. See Kodolov, V. I., 1477
Demont, P. See Issoupov, V., 342
Denes, F. S. See Martin, A. R., 2145
Deng, P. See Xie, H., 2742
De Oliveira Filho, A. P. See Ozzetti, R. A., 734
Desai, M. C. See Hundiwale, D. G., 995
Deshpande, M. C. See Padmaja, T., 2108
Destéfanis, H. A. See Erdmann, E., 1624
Dever, M. See Luo, X., 1961
Diete-Spiff, S. T. See Eboatu, A. N., 2781
Díez, F. J. See Abad, M. J., 1553; See López, J., 1277
Dimonie, V. L. See Ma, G.-H., 1530
Dinakaran, K.
—; Alagar, M.: Preparation and Characterization of Bismaleimide (*N,N′*-bismaleimido-4,4′-diphenyl methane)–Unsaturated Polyester Modified Epoxy Intercrosslinked Matrices, 2853
Ding, H.-T. See Ma, Z.-L., 257
Ding, X. See Fang, Q., 1317; Zhang, J., 2609
Dinguirard, M. See Issoupov, V., 342
Diniz, T. M. F. F.
—; Tavares, M. I. B.: NMR Study of Poly(vinylpyrrolidone)/Poly(ethylene oxide) Blends, 2820
Doğan, A. See Karacaer, Ö., 1683; Usanmaz, A., 467
Doğan, O. M. See Karacaer, Ö., 1683
Dong, J. See Wang, X., 2913
Dong, L. See Xie, H., 2742
Dos Santos, W. N.
—; Gregorio, R., Jr.: Hot-Wire Parallel Technique: A New Method for Simultaneous Determination of Thermal Properties of Polymers, 1779
Du, L. C. See Wang, S. J., 2327
Du, X. Y. See Chian, K. S., 2935
Du, Y.-Z.
—; Ma, G.-H.; Nagai, M.; Omi, S.: Synthesis of High Solid Latices by Thermally Initiated Emulsion Polymerization (Note), 2478
Dubnikova, I. L.
—; Berezina, S. M.; Antonov, A. V.: The Effect of Morphology of Ternary-Phase Polypropylene/Glass Bead/Ethylene-Propylene Rubber Composites on the Toughness and Brittle-Ductile Transition, 1911
Dunk, W. A. E. See Boodhoo, K. V. K., 2283
Dunkel, M. See Ania, F., 1246

Eboatu, A. N.
—; Diete-Spiff, S. T.; Ezenweke, L. O.; Omalu, F.: The Use of Polymers as Sequestering Agents for Toxic Metal Ions, 2781
Edwards, B. J.
—; Keffer, D. J.; Reneau, C. W.: An Examination of the Shear-Thickening Behavior of High Molecular Weight Polymers Dissolved in Low-Viscosity Newtonian Solvents, 1714
Eick, J. D. See Pinzino, C. S., 159
Eid, M. A. See Nada, A. M. A., 792
Eikeland, M. S.
—; Hägg, M.-B.; Brook, M. A.; Ottøy, M.; Lindbråthen, A.: Durability of Poly(dimethylsiloxane) When Exposed to Chlorine Gas, 2458
El-Aasser, M. S. See Ma, G.-H., 1530
El Bahnasawy, R. M. See Nada, A. M. A., 792
Eleftheriadis, I. C. See Georgiadou, K. L., 123
El-Gendy, H. M. See Moharram, M. A., 1619, 2699
El-Morsy, M. A.
—; Yatagai, T.; Hamza, A.; Mabrouk, M. A.; Sokkar, T. Z. N.: Multiple-Beam Fizeau Fringe-Pattern Analysis Using Fourier Transform Method for Accurate Measurement of Fiber Refractive Index Profile of Polymer Fiber, 475
El-Sawy, N. M.
—; Al Sagheer, F. A.: Physicochemical Investigation of Radiation-Grafted Poly(acrylic acid)-*graft*-Poly(tetrafluoroethylene–ethylene) Copolymer Membranes and Their Use in Metal Recovery from Aqueous Solution, 2692
El-Zaher, N. A.
—; Michael, M. N.: Time Optimization of Ultraviolet–Ozone Pretreatment for Improving Wool Fabrics Properties, 1469
Erçelebi, Ç. See Bozkurt, A., 52
Erdmann, E.
—; Destéfanis, H. A.; Abalos, R.; Frontini, P. M.; Abraham, G. A.: Transport Properties and Mechanical Behavior of Poly(Methyl-Phenylsiloxane) Membranes as a Function of

Methyl to Phenyl Groups Ratio, 1624
Erhan, S. Z. See Liu, Z. S., 2100
Ermel Da Costa Monteiro, E. See Miguez Suarez, J. C., 886
Esmail, N. See Ghannam, M., 2896
Esneault, C. P. See Poché, D. S., 2190
Esprester, B. See Fornasiero, F., 2041
Ezenweke, L. O. See Eboatu, A. N., 2781

Faliks, A.
—; Yetter, R. A.; Floudas, C. A.; Wei, Y.; Rabitz, H.: Optimization of Polymer Synthesis Through Distributed Control of Polymerization Conditions, 2922
Fan, R.
—; Li, B.-G.; Cao, K.; Zhou, W.-L.; Shen, Z.-G.; Ye, M.: Full-Range Kinetic Study on Bulk Syndiotactic Polymerization of Styrene with Homogeneous Metallocene Catalysis, 2635
Fan, Y. See Yin, D., 2667
Fang, Q.
—; Ding, X.; Wu, X.; Jiang, L.: Syntheses of an Aromatic Nitrile Ether Diamine and the Bismaleimide Bearing the Diamine and the Properties of Their Copolymers with 4,4′-Bismaleimidodiphenylmethane (BMDPM), 1317
Fazlieva, L. K. See Shanina, E. L., 2239
Fei, J.
—; Zhang, Z.; Zhong, L.; Gu, L.: PVA/PAA Thermo-Induced Hydrogel Fiber: Preparation and pH-Sensitive Behavior in Electrolyte Solution, 2423
Feldstein, M. M. See Bairamov, D. F., 1128
Felisberti, M. I. See Wilhelm, H. M., 847
Fellers, C. See Garoff, N., 1511
Feng, C.-X. See Cao, F., 2787
Feng, J.
—; Chen, M.; Huang, Z.; Guo, Y.; Hu, H.: Effects of Mineral Additives on the β-Crystalline Form of Isotactic Polypropylene, 1742
—; Li, J.; Chan, C.-M.: Distribution of Carbon Black in Semicrystalline Polypropylene Studied by Transmission Electron Microscopy, 358
Feng, J. L. See Chian, K. S., 2935
Feng, S. See Zhu, Q., 2431
Feng, Z. See Jia, Y., 1104; Zhang, A., 1110
Fevotte, G. See Cherfi, A., 2510
Floudas, C. A. See Faliks, A., 2922
Font, R.
—; Sabater, M. C.; Martínez, M. A.: The Leaching Kinetics of Acetone in an Acetone-Polyurethane Adhesive Waste, 1945
Fornasiero, F.
—; Olaya, M. M.; Esprester, B.; Nguyen, V.; Prausnitz, J. M.: Distribution Coefficients and Diffusivities in Three Polymers for Nineteen Aqueous Nonvolatile Solutes, 2041
Frey, P. See Gupta, B., 1874
Frisch, H. L. See Ma, J., 2287
Frontini, P. M. See Erdmann, E., 1624
Fu, Q. See Wang, Y., 236
Fu, Y.-J. See Su, F.-H., 1888
Fu, Z. S.
—; Liang, W. D.; Yang, A. M.; Wang, Z. G.: Role and Relevance of Polarity and Hindrance of Vinyl Monomers in Graft Copolymerization onto Potato Starch, 896
Fujiyama, M.
—; Inata, H.: Crystallization and Melting Characteristics of Metallocene Isotactic Polypropylenes, 1851
—; Kondou, M.; Ayama, K.; Inata, H.: Rheological Properties of Ionically and Covalently Crosslinked Polypropylene-Type Thermoplastic Elastomers, 762
Fung, K. L.
—; Li, R. K. Y.; Tjong, S. C.: Interface Modification on the Properties of Sisal Fiber-Reinforced Polypropylene Composites, 169
Furukawa, M. See Yoshikai, K., 2053

Ganguly, S.
—; Chakraborty, S.; Banerjee, A. N.; Bhattacharya, P.: Effect of *meta*-Dihydroxy Benzene as a Surface Modifier on Filler–Filler and Filler–Polymer Interaction of Carbon Black Polymer Composite, 2025
Gao, C. See Ma, Z., 2163
Gao, J.
—; Lu, Y.; Wei, G.; Zhang, X.; Liu, Y.; Qiao, J.: Effect of Radiation on the Crosslinking and Branching of Polypropylene, 1758
Gao, J.-G. See Ma, Z.-L., 257
Garoff, N.
—; Nilvebrant, N.-O.; Fellers, C.: Friction of Linerboard Based on Recycled Fiber, 1511
Gawish, S. M.
—; Mosleh, S.; Ramadan, A. M.: Synthesis of a New Cationic Surfactant for the Alkaline Hydrolysis of Solvent-Pretreated Polyester Fabrics, 1652
Geckeler, K. E. See Rivas, B. L., 2546, 2559
George, K. M.
—; Varkey, J. K.; Thomas, K. T.; Mathew, N. M.: Epoxidized Natural Rubber as a Reinforcement Modifier for Silica-Filled Nitrile Rubber, 292
Georgiadou, K. L.
—; Tsatsaroni, E. G.; Eleftheriadis, I. C.; Kehayoglou, A. H.: Disperse Dyeing of Polyester Fibers: Kinetic and Equilibrium Study, 123
Ghannam, M.
—; Esmail, N.: Flow Behavior of Enhanced Oil Recovery Alcoflood Polymers, 2896
Ghedira, M. See Alimi, K., 1858
Ghim, H. D. See Lyoo, W. S., 1992
Giannakitsas, I.
—; Teymour, F.: Analysis of Mixed Mode Polymerization Systems. I. Generalized Modeling Approach, 571
Gil, M. H. See Sartore, L., 1287
Gladchenko, S. V. See Polotskaya, G. A., 2946
Godshall, D. See Rangarajan, P., 69

Goerlitz, S. See Adhikari, R., 701; Michler, G. H., 683
Goldslager, B. A. See Malik, J., 856
Gonçalves, M. C. See Redondo, S. U. A., 2573
Gong, Y. See Ma, Z., 2163
González, L.
—; Rodríguez, A.; Del Campo, A.; Marcos-Fernández, A.: Crosslink Reaction of Natural Rubber with Thiuram Sulphur Donors in the Presence of a Thiuram Monosulfide, 491
Gopalan, A. See Anbarasan, R., 2317
Gopalkrishne Urs, R. See Londono, J. D., 2382
Goswami, A. See Saikia, P. J., 1236
Goy, H. A. See Chian, K. S., 2935
Gregorio, R., Jr.
—; Rigobelo Chaud, M.; Nunes Dos Santos, W.; Baldo, J. B.: Miscibility and Morphology of Poly(vinylidene fluoride)/Poly (vinylidene fluoride)-*ran*-trifluorethylene) Blends, 1362
—; See Dos Santos, W. N., 1779
Grellmann, W. See Kotek, J., 1174
Gu, L. See Fei, J., 2423
Guan, Y.
—; Jiang, W.; Zhang, W.; Wan, G.; Peng, Y.: Polytetrahydrofuran Amphiphilic Networks. III. Synthesis and Characterization of pH-sensitive Poly(methacrylic acid)-*l*-Polytetrahydrofuran Networks, 351
Guignot, C.
—; Betz, N.; Legendre, B.; Le Moel, A.; Yagoubi, N.: Influence of Filming Process on Macromolecular Structure and Organization of a Medical Segmented Polyurethane, 1970
Gündogan, N.
—; Okay, O.: Reentrant Phase Transition of Poly(*N*-isopropylacrylamide) Gels in Polymer Solutions: Thermodynamic Analysis, 801
Güner, A. See Pekel, N., 376
Guo, R. See Si, L., 2130
Guo, Y. See Feng, J., 1742
Gupta, B.
—; Anjum, N.; Sen, K.: Development of Membranes by Radiation Grafting of Acrylamide into Polyethylene Films: Properties and Metal Ion Separation, 282
—; Hilborn, J.; Plummer, C.; Bisson, I.; Frey, P.: Thermal Crosslinking of Collagen Immobilized on Poly(acrylic acid) Grafted Poly(ethylene terephthalate) Films, 1874
Gupta, S. K. See Mankar, R. B., 2350
Güven, O. See Pekel, N., 376, 2750

Hädicke, E.
—; Stutz, H.: Comparison of the Structure of Step-Growth Networks Obtained by Monte Carlo Simulation and Branching Theory, 929
Hägg, M.-B. See Eikeland, M. S., 2458
Haider, N.
—; Karlsson, S.: Loss and Transformation Products of the Aromatic Antioxidants in MDPE Film under Long-Term Exposure to Biotic and Abiotic Conditions, 974
Hajipour, A.-R. See Mallakpour, S. E., 315, 1141
Hamza, A. See El-Morsy, M. A., 475
Han, K. Y. See Wan, Y. Z., 1031
Han, M.-H. See Han, S.-C., 2491
Han, S.-C.
—; Han, M.-H.: Fracture Behavior of NR and SBR Vulcanizates Filled with Ground Rubber Having Uniform Particle Size, 2491
Hanabusa, K. See Lin, H., 1378
Haque, I. See Sabhapondit, A., 1521
Harris, C. D. See Pinzino, C. S., 159
Hassan, M. A.
—; Shehata, A. B.: Studies on Some Acrylamido Polymers and Copolymer as Stabilizers for Nitrocellulose, 2808
Hassan, R. M. See Khairou, K. S., 1019
Hazer, B. See Arslan, H., 965
He, B. See Lin, X., 638
He, C. See Cao, M., 873
Heitman, T. E. See Poché, D. S., 2190
Hepuzer, Y. See Degirmenci, M., 2389
Hetflejš, J. See Šabata, S., 1185
Hilborn, J. See Gupta, B., 1874
Ho, K.
—; Kale, L.; Montgomery, S.: Melt Strength of Linear Low-Density Polyethylene/Low-Density Polyethylene Blends, 1408
Holder, A. J. See Pinzino, C. S., 159
Hong, L.
—; Wang, X.; Tang, X.: Studies on Hyperbranched Polyurethane by Multidetector Size Exclusion Chromatography, 2445
Hong, X. See Wang, F., 785
Hong, X. M. See Wu, X. Q., 2219
Hou, Y. See Wang, S., 422
Hsu, C. Y. See Perng, L. H., 821
Hu, H. See Feng, J., 1742
Hu, X. See Tang, L. W., 209
Hu, Y. See Wang, X., 2913
Hua, J. See Huang, A., 989
Hua, W. See Wang, S., 422
Huang, A.
—; Liu, Y.; Chen, L.; Hua, J.: Synthesis and Property of Nanosized Palladium Catalysts Protected by Chitosan/Silica, 989
Huang, C.-Y.
—; Mo, W.-W.: Electromagnetic Interference Shielding Effectiveness and Mechanical Sliding Behavior for Electroless Nickel/Phosphorous–Poly(tetrafluoroethylene) Codeposition on Carbon Fiber/Acrylonitrile–Butadiene–Styrene Composites, 1661
Huang, G.-S.
—; Jiang, L.-X.; Li, Q.: Molecular Design of Damping Rubber Based on Polyacrylate-Containing Silicone, 746
—; Li, Q.; Jiang, L.-X.: Structure and Damping Properties of Polydimethylsiloxane and Polymethacrylate Sequential Interpenetrating Polymer Networks, 545

Huang, H. See Zhang, X., 2862; Zhou, Z. F., 726
Huang, J.
—; Cranford, R. J.; Matsuura, T.; Roy, C.: Development of Polyimide Membranes for the Separation of Water Vapor from Organic Compounds, 139
Huang, J. X. See Zhang, H. T., 2230
Huang, K.-S. See Shih, C.-Y., 509, 1008
Huang, M.-F. See Peng, Z., 2952
Huang, Q. See Ou, Y., 2535
Huang, R. See Lei, C., 2793
Huang, W.-K.
—; Chen, K.-J.; Yeh, J.-T.; Chen, K.-N.: Curing and Combustion Properties of a PU-Coating System with UV-Reactive Phosphazene, 1980
Huang, Z. See Feng, J., 1742
Hundiwale, D. G.
—; Kapadi, U. R.; Desai, M. C.; Bidkar, S. H.: Mechanical Properties of Natural Rubber Filled with Flyash, 995
Hung, A. Y. C. See Sun, Y.-M., 2367
Hwang, S. H. See Kim, J. K., 2276

Ibrahim, S. F. See Micheal, M. N., 1897
Ichimura, A. See Ishizu, K., 900
Ikladious, N. E. See Mansour, S. H., 2501
Inagaki, N.
—; Narushima, K. °!Yamamoto, T.: Surface Modification of Tetrafluoroethylene–Perfluoroalkyl Vinylether Copolymer (PFA) by Plasmas for Copper Metallization, 1087
—; Tasaka, S.; Narushima, K.; Kobayashi, H.: Surface Modification of PET Films by Pulsed Argon Plasma, 2845
Inata, H. See Fujiyama, M., 762, 1851
Iroh, J. O.
—; Su, W.: Adhesion of Electrochemically Formed Polypyrrole Coatings to Low Carbon Steel, 2757
—; See Shah, K. G., 1669
Ishiaku, U. S. See Siriwardena, S., 438
Ishii, T. See Nagai, A., 2335
Ishizu, K.
—; Kim, S.; Ichimura, A.: Microsphere Synthesis by Emulsion Copolymerizations of Styrene with Poly(Methacrylic Acid) Macromonomers, 900
Ismail, H. See Siriwardena, S., 438
Issoupov, V.
—; Demont, P.; Lacabanne, C.; Startsev, O. V.; Viel, V.; Dinguirard, M.: Thermally Stimulated Creep (TSCr) Study of Viscoelastic Behavior and Physical Aging of a Polymeric Matrix Composite for Spacecraft Structures, 342

Jachuck, R. J. See Boodhoo, K. V. K., 2283
Jang, J.
—; Park, H.: *In Situ* Sol–Gel Process of Polystyrene/Silica Hybrid Materials: Effect of Silane-Coupling Agents, 2074
Jar, P.-Y. B.
—; Creagh, D. C.; Konishi, K.; Shinmura, T.: Mechanical Properties and Deformation Mechanisms in High Thermal Resistant Poly(acrylonitrile–butadiene–styrene) Under Static Tension and Izod Impact, 17
Jayakumar, R.
—; Rajkumar, M.; Nagendran, R.; Nanjundan, S.: Synthesis and Characterization of Metal-Containing Polyurethanes with Antibacterial Activity, 1194
Jayaseharan, J. See Anbarasan, R., 2317
Jegal, J. See Kim, S.-G., 714, 1832
Jeon, J.-Y.
—; Preparation of Soluble Poly(amide imide) Derivatives with Metal Salts and Phosphorous Compounds, 1399
—; Shim, B.-S.: Preparation of Sulfonated Novel Poly(bis 4-(3-aminophenoxy) phenyl)sulfone pyromellite)imide Derivatives by Heterogeneous Sulfonation, 1881
Jeong, S. W.
—; Kim, W. S.; Lee, D. H.; Min, K. E.; Seo, K. H.; Kang, I. K.; Park, L. S.: Photosensitive Barrier Rib Paste for Plasma Display Panel and Photolithographic Process, 2092
Jeong, Y.-I. See Yu, J.-J., 2625
Ji, J. See Ma, Z., 2163
Jia, W.
—; Tchoudakov, R.; Joseph, R.; Narkis, M.; Siegmann, A.: The Conductivity Behavior of Multi-Component Epoxy, Metal Particle, Carbon Black, Carbon Fibril Composites, 1706
Jia, Y.
—; Zhang, B.; Zhou, E.; Feng, Z.; Zang, B.: Synthesis and Characterization of Network Liquid Crystal Elastomers and Thermosets, 1104
Jiang, B. B. See Zhang, H. T., 2230
Jiang, L. See Fang, Q., 1317
Jiang, L.-X. See Huang, G.-S., 545, 746
Jiang, P. See Wang, G., 2485
Jiang, W. See Guan, Y., 351
Jin, R. See Li, Q., 2652
Jin, Z. See Cao, M., 873
Jing, X. See Zhang, Q., 1458
Johnson, M. B. See Sukhadia, A. M., 2396
Joo, C.-K. See Suh, T. S., 2361
Joseph, R. See Jia, W., 1706
Jun, J.-B. See Kim, J.-W., 328
Jung, K.-I.
—; Yoon, S. W.; Cho, K. Y.; Park, J.-K.: Acoustic Properties of Nitrile Butadiene Rubber for Underwater Applications, 2764

Kale, L. See Ho, K., 1408
Kamath, Y. K.
—; Ruetsch, S. B.; Petrovicova, E.; Kintrup, L.; Schwark, H.-J.: Effects of Spin Finish on Fiber Surface Hardness: An Investigation with Atomic Force Microscopy and Frictional Measurements, 394
Kang, D. W.
—; Kim, Y. M.: Preparation and Properties of Poly(methyltrifluoropropylsiloxane-b-imide) Copolymer (I), 2867

Kang, G.-D.
—; Lee, K.-H.; Shin, B.-S.; Nahm, J.-H.: Preparation and Characterization of Low Molecular Weight Silk Fibroin by High-Temperature and High-Pressure Method, 2890
Kang, I. K. See Jeong, S. W., 2092; Lee, D.-H., 38
Kang, J. S.
—; Lee, Y. M.: Effects of Molecular Weight of Polyvinylpyrrolidone on Precipitation Kinetics During the Formation of Asymmetric Polyacrylonitrile Membrane, 57
Kangwansupamonkon, W.
—; Damronglerd, S.; Kiatkamjornwong, S.: Effects of the Crosslinking Agent and Diluents on Bead Properties of Styrene–Divinylbenzene Copolymers, 654
Kannan, P. See Senthil, S., 831
Kanungo, B. K. See Singh, M., 842
Kapadi, U. R. See Hundiwale, D. G., 995
Karacaer, Ö.
—; Doğan, A.; Doğan, O. M.; Usanmaz, A.: Dynamic Mechanical Properties of Dental Base Material Reinforced with Glass Fiber, 1683
Karchkhadze, M. G. See Mukbaniani, O. V., 1047
Karlsson, S. See Camacho, W., 321; Haider, N., 974; Vallés-Lluch, A., 2211
Katbab, A. A. See Abbasi, F., 1825
Katime, I. See Quintana, J. R., 2540
Kawano, Y. See Carvalho De Araújo, S., 199
Kawasaki, N. See Pivsa-Art, S., 774
Kawase, T. See Sawada, H., 2833
Kaya, İ.
—; Vilayetoğlu, A. R.: Synthesis and Characterization of Oligosalicylaldehyde-*graft*-oligoaniline and Its Beginning Oligomers, 218
—; Vilayetoğlu, A. R.; Topak, H.: Synthesis of Oligo-*ortho*-azomethinephenol and its Oligomer–Metal Complexes: Characterization and Application as Anti-microbial Agents, 2004
Ke, Y.-C.
—; Yang, Z.-B.; Zhu, C.-F.: Investigation of Properties, Nanostructure, and Distribution in Controlled Polyester Polymerization with Layered Silicate, 2677
Keffer, D. J. See Edwards, B. J., 1714
Kehayoglou, A. H. See Georgiadou, K. L., 123
Kenny, J. M. See López-Manchado, M. A., 25
Khairou, K. S.
—; Hassan, R. M.; Shaker, A. M.: Novel Synthesis of Diketocarboxymethyl-Cellulose as Bipolymer Precursors, 1019
Khalifa, M. N. See Nada, A. M. A., 792
Khan, B. See Kishore, 752
Khang, G.
—; Choee, J.-H.; Rhee, J. M.; Lee, H. B.: Interaction of Different Types of Cells on Physicochemically Treated Poly(L-lactide-*co*-glycolide) Surfaces, 1253
Kiatkamjornwong, S.
—; Akkarakittimongkol, P.; Omi, S.: Syntheses of Acrylate Core/Shell Imbiber Beads by Seeded Suspension Copolymerization and One-Stage Copolymerization for Solvent Absorption–Desorption, 670
—; See Kangwansupamonkon, W., 654
Kim, D. See Li, Q., 2652
Kim, D.-P. See Cao, F., 2787
Kim, H.-D. See Koo, Y.-S., 1634
Kim, I.-C.
—; Kim, J.-H.; Lee, K.-H.; Tak, T.-M.: Preparation and Properties of Soluble Copolysulfoneimide and Performance of Solvent-Resistant Ultrafiltration Membrane, 1024
Kim, I. Y. See Shin, M.-S., 957, 2661
Kim, J. See Lin, J., 177
Kim, J.-C.
—; Song, M.-E.; Park, S.-K.; Lee, E.-J.; Rang, M.-J.; Ahn, H.-J.: Synthesis and Characterization of Nonionic 1-Vinyl-2-pyrrolidinone/Methacryloxy Silicone Copolymers: Effects of Molecular Weight of Silicone and Crosslinking Density, 2244
Kim, J.-H. See Kim, I.-C., 1024
Kim, J. K.
—; Lee, S. H.; Hwang, S. H.: Experimental Investigation of the Morphology Development and Mechanical Properties of Waste Ethylene Propylene Diene Monomer/Polypropylene Blend in Modular Intermeshing Corotating Twin-Screw Extruder, 2276
Kim, J. P. See Lyoo, W. S., 1992
Kim, J.-W.
—; Ko, J.-Y.; Park, J.-G.; Jun, J.-B.; Chang, I.-S.; Suh, K.-D.: Fine Polystyrene Latexes with Reactive Poly(ethylene oxide)–Poly(propylene oxide)–Poly(ethylene oxide) Triblock Macrosurfactants in Modified Miniemulsion Polymerization, 328
Kim, M.-S. See Choi, S.-H., 2451
Kim, N. G. See Kim, S. J., 1956; Shin, M.-S., 957, 2661
Kim, S. See Ishizu, K., 900
Kim, S.-G.
—; Kim, Y.-I.; Jegal, J.; Lim, G.-T.; Lee, K.-H.: Characterization and Preparation of Polyion Complex Composite Membranes for the Separation of Methyl *tert*-Butyl Ether/Methanol Mixtures, 714
—; Kim, Y.-I.; Lim, G.-T.; Jegal, J.; Lee, K.-H.: Polyion Complex Composite Membranes for the Separation of Methyl *t*-Butyl Ether/Methanol Mixtures: Separation Behaviors of These Membranes, 1832
Kim, S.-H. See Choi, S.-H., 2451
Kim, S. I. See Kim, S. J., 1956; Shin, M.-S., 957, 2661
Kim, S. J.
—; Park, S. J.; Shin, M.-S.; Lee, Y. H.; Kim, N. G.; Kim, S. I.: Thermal Characteristics of IPNs Composed of Polyallylamine and Chitosan, 1956
—; See Shin, M.-S., 957, 2661

Kim, S. S. See Lyoo, W. S., 1992
Kim, S. W. See Lu, M. G., 2552
Kim, W. S. See Jeong, S. W., 2092; Lee, D.-H., 38
Kim, Y. C. See Suh, T. S., 2361
Kim, Y.-I. See Kim, S.-G., 714, 1832
Kim, Y.-K. See Rhim, J.-W., 1867
Kim, Y. M. See Kang, D. W., 2867
Kimura, M. See Lin, H., 1378
Kintrup, L. See Kamath, Y. K., 394
Kishore
—; Khan, B.; Viswanath, B.: Impact Response of Carbon-Epoxy Laminates Containing Buffer-Strip Layers, 752
Kit, K. M. See Luo, X., 1961
Kiuchi, M.
—; Uchikawa, A.; Tanigami, T.; Matsuzawa, S.; Yamaura, K.: The Effect of Syndiotacticity on the Gelation of Aqueous Poly(vinyl Alcohol) Solutions with Congo Red, 632
Kizilcan, N.
—; Akar, A.: Oligomeric Benzoin Photoinitiators, 500
Knoll, K. See Adhikari, R., 701; Michler, G. H., 683
Ko, J.-Y. See Kim, J.-W., 328
Kobayashi, H. See Inagaki, N., 2845
Kodolov, V. I.
—; Shuklin, S. G.; Kuznetsov, A. P.; Makarova, L. G.; Bystrov, S. G.; Demicheva, O. V.; Rudakova, T. A.: Formation and Investigation of Epoxy Intumescent Compositions Modified by Active Additives, 1477
Koerner, H. See Nguyen, L. H., 2034
Kokaku, H. See Nagai, A., 2335
Kondo, T. See Miyauchi, S., 1429
Kondou, M. See Fujiyama, M., 762
Konishi, K. See Jar, P.-Y. B., 17
Koo, S.-Y. See Lee, D.-H., 38
Koo, Y.-S.
—; Wang, Y.-S.; You, S.-H.; Kim, H.-D.: Preparation and Properties of Chemical Cellulose from Ascidian Tunic and Their Regenerated Cellulose Fibers, 1634
Kosmala, B.
—; Schauer, J.: Ion-Exchange Membranes Prepared by Blending Sulfonated Poly(2,6-dimethyl-1,4-phenylene oxide) with Polybenzimidazole, 1118
Kotek, J.
—; Raab, M.; Baldrian, J.; Grellmann, W.: The Effect of Specific β-Nucleation on Morphology and Mechanical Behavior of Isotactic Polypropylene, 1174
Kowalczuk, M. See Arslan, H., 965
Kozlov, G. V.
—; Temiraev, K. B.; Shustov, G. B.; Mashukov, N. I.: Modeling of Solid State Polymer Properties at the Stage of Synthesis: Fractal Analysis, 1137
Kraus, A. See Balke, S. T., 552
Krishnamurthy, V. N. See Bandgar, B. M., 1002
Kucharski, M.
—; Chmiel-Szukiewicz, E.: Reactions of Trithiocyanuric Acid with Oxiranes. III. Reactions with Epichlorohydrin, 1154
Kuga, S. See Araki, J., 1349
Kulkarni, A. R.
—; Soppimath, K. S.; Aminabhavi, T. M.; Dave, A. M.: Polymeric Sodium Alginate Interpenetrating Network Beads for the Controlled Release of Chlorpyrifos, 911
Kulkarni, K. S. See Shukla, S. R., 1765
Kulkarni, M. C. See Padmaja, T., 2108
Kumar, B.
—; De, P. P.; De, S. K.; Bhowmick, A. K.; Peiffer, D. G.: Mill Processability of Brominated Isobutylene-Co-Paramethyl Styrene and its Blends with Ethylene Propylene Diene Terpolymer (EPDM) in the Continuous Milling Operation, 1484
Kumar, R. See Brar, A. S., 1328
Kurechko, N. I. See Romaniuk, O. I., 2725
Kuriakose, B. See Vinod, V. S., 519
Kurian, T. See Samuel, J., 2294
Kuznetsov, A. P. See Kodolov, V. I., 1477
Kyokane, J. See Sawada, H., 2833

Lacabanne, C. See Issoupov, V., 342
Lai, M.
—; Yang, Y.; Liu, J.: Reactive Reinforcement of the Interface of Poly(ether sulfone)/Poly(phenylene sulfide) Polymer Blend by PMR–POI, 1297
—; See Yang, H., 2600
Lai, S.-M. See Wu, C.-S., 2905
Lam, Y. C. See Tang, L. W., 209
Latifoğlu, M. A. See Usanmaz, A., 467
Lavielle, L. See Rebouillat, S., 645
Lebek, W. See Adhikari, R., 701; Michler, G. H., 683
Lederer, K. See Nguyen, L. H., 2034
Lee, D.-H.
—; Koo, S.-Y.; Lee, H.-S.; Kim, W. S.; Min, K. E.; Park, L. S.; Seo, K. H.; Kang, I. K.; Choi, H.-J.: Preparation and Properties of Aromatic Polyimides Based on 4,4′-(2,2,2-Trifluoro-1-phenylethylidene)diphthalic Anhydride, 38
—; See Jeong, S. W., 2092
Lee, E.-J. See Kim, J.-C., 2244
Lee, H. B. See Khang, G., 1253
Lee, H. K. See Suh, T. S., 2361
Lee, H.-S. See Lee, D.-H., 38
Lee, H.-Y. See Tseng, C.-R., 1370
Lee, J. Y. See Cho, D., 183; Lu, M. G., 2552
Lee, K.-H. See Kang, G.-D., 2890; Kim, I.-C., 1024; Kim, S.-G.; 714, 1832
Lee, K.-P. See Choi, S.-H., 2451
Lee, L. J. See Svoboda, P., 1562
Lee, M. S. See Suh, T. S., 2361
Lee, S. H. See Kim, J. K., 2276
Lee, S.-S. See Lyoo, W. S., 1992
Lee, S.-W. See Rhim, J.-W., 1867
Lee, Y.-H. See Choi, S.-H., 2451
Lee, Y. H. See Kim, S. J., 1956
Lee, Y. M. See Kang, J. S., 57
Legendre, B. See Guignot, C., 1970
Lei, C.
—; Chen, D.; Huang, R.; Li, G.; Lu, Y.: Time-Dependent

Rheological Behavior of Low-Density Polyethylene White Color Masterbatches Under Dynamic Stress Field, 2793
Leisen, J. See Luo, S., 1
Lele, B. S. See Padmaja, T., 2108
Le Moel, A. See Guignot, C., 1970
Le Thuaut, P. See Martel, B., 1771
Li, B.-G. See Fan, R., 2635
Li, C.-C.
—; Zhang, D.; Li, Z.-Y.: The Effects of Alkaline Earth Dehydroabietate on the Crystallization Process of Polypropylene, 2644
Li, G. See Lei, C., 2793
Li, J. See Feng, J., 358
Li, L. See Tang, L. W., 209; Wan, F., 814
Li, P.-W. See Peng, Z., 2952
Li, Q.
—; Tian, M.; Kim, D.; Zhang, L.; Jin, R.: Compatibility and Thermal Properties of Poly(acrylonitrile–butadiene–styrene) Copolymer Blends with Poly(methyl methacrylate) and Poly(styrene-*co*-acrylonitrile), 2652
—; See Huang, G.-S., 545, 746
Li, R. K. Y. See Fung, K. L., 169
Li, S.-D. See Lu, G., 1736; Peng, Z., 2952
Li, X.-D. See Cao, F., 2787
Li, X. X. See Qi, G. R., 415
Li, Z.-F. See Lu, G., 1736
Li, Z.-Y. See Li, C.-C., 2644
Liang, G.
—; Zhang, M.: Enhancement of Processability of Cyanate Ester Resin via Copolymerization with Epoxy Resin, 2377
Liang, J.-Z.
—; Effects of Extrusion Conditions on Rheological Behavior of Acrylonitrile–Butadiene–Styrene Terpolymer Melt, 606
Liang, W. D. See Fu, Z. S., 896
Liao, H.-T. See Wu, C.-S., 2905
Lim, G.-T. See Kim, S.-G., 714, 1832; Yu, J.-J., 2625
Lim, J.-G. See Choi, W.-M., 2084
Lin, H.
—; Kimura, M.; Hanabusa, K.; Shirai, H.; Ueno, N.; Mori, Y.: Preparation and Adsorption Properties of Poly(*N*-vinylformamide/acrylonitrile) Chelating Fiber for Heavy Metal Ions, 1378
Lin, J.
—; Winkelmann, C.; Worley, S. D.; Kim, J.; Wei, C.-I.; Cho, U.; Broughton, R. M.; Santiago, J. I.; Williams, J. F.: Biocidal Polyester, 177
Lin, J. J.
—; Cheng, I. J.: Metal-Solvating and Self-Association of Amphiphilic Polyamides Containing Poly(oxyethylene) Blocks, 612
Lin, Q.
—; Zhou, X.; Dai, G.: Effect of Hydrothermal Environment on Moisture Absorption and Mechanical Properties of Wood Flour–Filled Polypropylene Composites, 2824
—; Zhou, X.; Dai, G.; Bi, Y.: Some Studies on Mechanical Properties of Wood Flour/Continuous Glass Mat/Polypropylene Composite, 536
Lin, S.-S.
—; Chen, M.-T.; Chang, D.-J.; Chen, S.-H.; Tsai, Y.-T.: Effect of Adding Other Metal Ions on the Removal of Cd^{2+} by the $CoAlPO_4$-5/Polysulfone Membrane, 2172
Lin, X.
—; Zhong, A.; Chen, D.; Zhou, Z.; He, B.: Studies on Self-Assembly and Characterization of Polyelectrolytes and Organic Dyes, 638
Lindberg, K. A. H. See Backman, A. C., 595
Lindbråthen, A. See Eikeland, M. S., 2458
Ling, Y. C. See Perng, L. H., 821
Liu, C.-J.
—; Resistance-Based Switching Humidity Property of Crosslinked Acrylic Acid–Acrylamide Copolymers and Their Ionization Effect Against the Critical Humidity, 1057
Liu, D.-F. See Nie, J., 1802
Liu, J. See Lai, M., 1297; Yang, H., 2600
Liu, L.-W. See Nie, J., 1802
Liu, N. C. See Zhou, Z. F., 726
Liu, Q. See Xie, W., 1357
Liu, W. See Shao, X., 2136; Yang, H., 2600
Liu, Y. See Gao, J., 1758; Huang, A., 989
Liu, Y. L. See Wu, C. S., 2254
Liu, Z. S.
—; Erhan, S. Z.; Xu, J.; Calvert, P. D.: Development of Soybean Oil-Based Composites by Solid Freeform Fabrication Method: Epoxidized Soybean Oil with Bis Or Polyalkyleneamine Curing Agents System, 2100
Londono, J. D.
—; Annadurai, V.; Gopalkrishne Urs, R.; Somashekar, R.: Morphological Parameters in Varieties of Silk Fibers Determined by Small-Angle X-ray Scattering, 2382
López, J.
—; Ramírez, C.; Abad, M. J.; Barral, L.; Cano, J.; Díez, F. J.: Blends of Acrylonitrile–Butadiene–Styrene with an Epoxy/Cycloaliphatic Amine Resin: Phase-Separation Behavior and Morphologies, 1277
—; See Abad, M. J., 1553
López-Manchado, M. A.
—; Kenny, J. M.: Analysis of the Effects of the Polymerization Route of Ethylene–Propylene–Diene Rubbers (EPDM) on the Properties of Polypropylene–EPDM Blends, 25
Loy, D. A. See McElhanon, J. R., 1496
Lu, G.
—; Li, Z.-F.; Li, S.-D.; Xie, J.: Blends of Natural Rubber Latex and Methyl Methacrylate-Grafted Rubber Latex, 1736
Lu, H.
—; Qiao, J.; Xu, Y.; Yang, Y.: Effect of Isotacticity Distribution on the Crystallization and Melting Behavior of Polypropylene, 333
Lu, J. J. See Qi, H. J., 1843
Lu, J.-X. See Sui, Y., 944

Lu, M. G.
—; Lee, J. Y.; Shim, M. J.; Kim, S. W.: Thermal Degradation of Film Cast from Aqueous Polyurethane Dispersions, 2552
Lu, Y. See Gao, J., 1758; See Lei, C., 2793
Lucas, E. F. See Machado, A. L. C., 1337
Luo, S.
—; Leisen, J.; Wong, C. P.: Study on Mobility of Water and Polymer Chain in Epoxy and Its Influence on Adhesion, 1
—; See Ma, J., 1077
Luo, X.
—; Benson, R. S.; Kit, K. M.; Dever, M.: Kudzu Fiber-Reinforced Polypropylene Composite, 1961
Lyoo, W. S.
—; Kim, S. S.; Ghim, H. D.; Kim, J. P.; Lee, S.-S.: Preparation of Ultrahigh Molecular Weight Syndiotactic Poly(vinyl alcohol) Microfibrillar Fibers by Low-Temperature Solution Polymerization of Vinyl Pivalate in Tertiary Butyl Alcohol and Saponification, 1992

Ma, C. See Shao, X., 2136
Ma, G.-H.
—; Omi, S.; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Study of the Preparation and Mechanism of Formation of Hollow Monodisperse Polystyrene Microspheres by SPG (Shirasu Porous Glass) Emulsification Technique, 1530
—; See Du, Y.-Z., 2478
Ma, J.
—; Shi, L.; Shi, Y.; Luo, S.; Xu, J.: Pyrolysis of Polymethylsilsesquioxane, 1077
—; Song, H.; Frisch, H. L.; Maaref, S.; Sun, S. S.: Electrically Conductive Semi-IPNs Based on Polyaniline and Crosslinked Polyvinylacetate, 2287
Ma, Z.
—; Gao, C.; Yuan, J.; Ji, J.; Gong, Y.; Shen, J.: Surface Modification of Poly-L-Lactide by Photografting of Hydrophilic Polymers towards Improving Its Hydrophilicity, 2163
Ma, Z.-L.
—; Gao, J.-G.; Niu, H.-J.; Ding, H.-T.; Zhang, J.: Polypropylene–Intumescent Flame-Retardant Composites Based on Meleated Polypropylene as a Coupling Agent, 257
—; See Qi, H. J., 1843
Maaref, S. See Ma, J., 2287
Mabrouk, A. See Alimi, K., 1858
Mabrouk, M. A. See El-Morsy, M. A., 475
Machado, A. L. C.
—; Lucas, E. F.: Influence of Ethylene-co-Vinyl Acetate Copolymers on the Flow Properties of Wax Synthetic Systems, 1337
Magoshi, J. See Araki, J., 1349
Mahajan, S. See Chauhan, G. S., 1161
Maiti, S. N. See Bhattacharyya, A. R., 1593
Majewski, W. See Charmas, W., 1806
Mak, A. F. T. See Yuan, X., 936
Makarova, L. G. See Kodolov, V. I., 1477
Malik, J.
—; Goldslager, B. A.; Clarson, S. J.: Thermally Controlled Molecular Disassembly of a Crosslinked Polymer Network by the Incorporation of Sterically Hindered Urea Linkages, 856
Mallakpour, S. E.
—; Hajipour, A.-R.; Raheno, H.: Synthesis and Characterization of New Polyureas Derived from 4-(4′-Methoxyphenyl)urazole, 1141
—; Hajipour, A.-R.; Zamanlou, M.-R.: New Optically Active Poly(ester-imide)s Derived from *N,N′*-(4,4′-Carbonyl-diphthaloyl)-Bis-L-Phenyl-alanine Diacid Chloride, 315
Mandelli, D. See Ozzetti, R. A., 734
Mankar, R. B.
—; Saraf, D. N.; Gupta, S. K.: On-Line Optimizing Control of Bulk Polymerization of Methyl Methacrylate: Some Experimental Results for Heater Failure, 2350
Manolache, S. See Martin, A. R., 2145
Mansour, S. H.
—; Abd-El-Messieh, S. L.; Ikladious, N. E.: Utilization of Some Oligomers Based on Poly(ethylene terephthalate) Wastes as Modifiers for Polyvinyl Chloride, 2501
Mantecón, A. See Ruiz, J., 1644
Mao, Y.
—; Wei, W.; Zhang, J.: Interaction Between Unlike Macromolecules: A New Method Based on the Motional Resistance Response of a Piezoelectric Quartz Crystal, 2528
Marcos-Fernández, A. See González, L., 491
Martel, B.
—; Le Thuaut, P.; Bertini, S.; Crini, G.; Bacquet, M.; Torri, G.; Morcellet, M.: Grafting of Cyclodextrins onto Polypropylene Nonwoven Fabrics for the Manufacture of Reactive Filters. III. Study of the Sorption Properties, 1771
Martin, A. R.
—; Manolache, S.; Denes, F. S.; Mattoso, H. C.: Functionalization of Sisal Fibers and High-Density Polyethylene by Cold Plasma Treatment, 2145
Martín, J. G. See Montserrat, S., 1263
Martínez, M. A. See Font, R., 1945
Mashukov, N. I. See Kozlov, G. V., 1137
Mathew, N. M. See George, K. M., 292
Matsuura, T. See Huang, J., 139
Matsuzawa, S. See Kiuchi, M., 632
Mattoso, H. C. See Martin, A. R., 2145
Matveeva, E. See Patil, R., 1904
Maureira, A. E. See Amalia-Pooley, S., 2929

Mauri, A. N.
—; Riccardi, C. C.: The Effect of Epoxy Excess on the Kinetics of an Epoxy–Anhydride System, 2342
Mazrouaa, A. M. See Abd-El-Messieh, S. L., 271
McElhanon, J. R.
—; Russick, E. M.; Wheeler, D. R.; Loy, D. A.; Aubert, J. H.: Removable Foams Based on an Epoxy Resin Incorporating Reversible Diels–Alder Adducts, 1496
McGrath, J. See Rangarajan, P., 69
Meiske, L. See Poché, D. S., 2178
Meng, Y. Z. See Wang, S. J., 2327
Metzner, A. P.
—; Yielding of Polymers Filled with Large-Diameter Particles, 455
Michael, M. N. See El-Zaher, N. A., 1469
Micheal, M. N.
—; Tera, F. M.; Ibrahim, S. F.: Effect of Chemical Modification of Cotton Fabrics on Dyeing Properties, 1897
Michler, G. H.
—; Adhikari, R.; Lebek, W.; Goerlitz, S.; Weidisch, R.; Knoll, K.: Morphology and Micromechanical Deformation Behavior of Styrene/Butadiene-Block Copolymers. I. Toughening Mechanisms in Asymmetric Star Block Copolymers, 683
—; See Adhikari, R., 701
Miguez Suarez, J. C.
—; Biasotto Mano, E.; Ermel Da Costa Monteiro, E.; Bruno Tavares, M. I.: Influence of γ-Irradiation on Poly(methyl methacrylate), 886
Min, K. E. See Jeong, S. W., 2092; Lee, D.-H., 38
Minami, T. See Sawada, H., 2833
Mirmohseni, A.
—; Oladegaragoze, A.: Detection and Determination of Cr^{VI} in Solution Using Polyaniline Modified Quartz Crystal Electrode, 2772
Mirzadeh, H. See Abbasi, F., 1825
Misra, A. See Bhattacharyya, A. R., 1593
Mitamura, J. See Suto, S., 865
Mitomo, H. See Miyauchi, S., 1429
Miyauchi, S.
—; Kondo, T.; Oshima, K.; Yamauchi, T.; Shimomura, M.; Mitomo, H.: Electrical and Mechanical Characteristics of Composites Consisting of Fractionated Poly(3-hexylthiophene) and Conducting Particles, 1429
Mo, W.-W. See Huang, C.-Y., 1661
Moffitt, C. E. See Yasuda, H. K., 1387, 1443
Mohamed, M. G. See Abd-El-Messieh, S. L., 271
Mohammed, H. A. See Badran, B. M., 879
Mohan, Y. M. See Raju, K. M., 1795
Moharram, M. A.
—; El-Gendy, H. M.: Infrared Spectroscopy and Electrical Properties of Ternary Poly(acrylic acid)–Metal–Poly(acrylamide) Complexes, 2699
—; Rabie, S. M.; El-Gendy, H. M.: Infrared Spectra of γ-Irradiated Poly(Acrylic acid)–Polyacrylamide Complex, 1619
Molinie, P. See Alimi, K., 1858
Montané, J.
—; Armelin, E.; Asín, L.; Rodríguez-Galaán, A.; Puiggalí, J.: Comparative Degradation Data of Polyesters and Related Poly(ester amide)s Derived from 1,4-Butanediol, Sebacic Acid, and α-Amino Acids, 1815
Montgomery, S. See Ho, K., 1408
Montserrat, S.
—; Martín, J. G.: The Isothermal Curing of a Diepoxide-cycloaliphatic Diamine Resin by Temperature Modulated Differential Scanning Calorimetry, 1263
Morales, J.
—; Olayo, M. G.; Cruz, G. J.; Olayo, R.: Plasma Polymerization of Random Polyaniline-Polypyrrole-Iodine Copolymers, 263
Morcellet, M. See Martel, B., 1771
Mori, Y. See Lin, H., 1378
Morrill, J. A. See Pinzino, C. S., 159
Mosleh, S. See Gawish, S. M., 1652
Mothé, C. G. See Tavares, M. I. B., 1465
Motori, A.
—; Saccani, A.; Sisti, L.: Electrical Properties of Poly(propylene terephthalate), 2271
Mourey, T. H. See Balke, S. T., 552
Mukbaniani, O. V.
—; Tatrishvili, T. N.; Karchkhadze, M. G.: Synthesis and Investigation of the Properties of Poly(phenyl-α-naphthyl-silylene)–Dimethylsilylene Copolymers, 1047
Mukmeneva, N. A. See Shanina, E. L., 2239
Mukundan, T. See Bandgar, B. M., 1002
Murai, Y. See Sawada, H., 2833

Nada, A. M. A.
—; Eid, M. A.; El Bahnasawy, R. M.; Khalifa, M. N.: Preparation and Characterization of Cation Exchangers from Agricultural Residues, 792
Nagai, A.
—; Kokaku, H.; Ishii, T.: Relationship of Structure and Properties of Phosphine-Containing Catalysts in Reactions with Epoxy and Phenol Compounds, 2335
Nagai, M. See Du, Y.-Z., 2478
Nagendran, R. See Jayakumar, R., 1194
Nahm, J.-H. See Kang, G.-D., 2890
Nainani, K. See Zheng, H., 1749
Nakane, K. See Ogata, N., 1219
Nakayama, A. See Pivsa-Art, S., 774
Nanjundan, S. See Jayakumar, R., 1194; Vijayanand, P. S., 2261
Narkis, M. See Jia, W., 1706
Narushima, K. See Inagaki, N., 1087, 2845
Nguyen, L. H.
—; Koerner, H.; Lederer, K.: Cure Kinetics of the Cardanyl

Acrylate–Styrene System Using Isothermal Differential Scanning Calorimetry, 2034
Nguyen, V. See Fornasiero, F., 2041
Nho, Y. C.
—; Park, K. R.: Preparation and Properties of PVA/PVP Hydrogels Containing Chitosan by Radiation, 1787
Nie, J.
—; Liu, D.-F.; Wang, X.-D.; Liu, L.-W.: Novel Polymeric Aromatic Lithium Sulfonylimides as Salts for Polymer Electrolytes, 1802
Nilvebrant, N.-O. See Garoff, N., 1511
Niu, H.-J. See Ma, Z.-L., 257
Novat, C. See Cherfi, A., 2510
Nowak, J. See Charmas, W., 1806
Nunes Dos Santos, W. See Gregorio, R., Jr., 1362
Núñez, L.
—; Núñez, M. R.; Villanueva, M.; Castro, A.; Rial, B.: Study of the Epoxy System BADGE (n = 0)/1,2-DCH/$CaCO_3$ Filler by DMA and DSC, 366
—; See Núñez, M. R., 371
Núñez, M. R.
—; Núñez, L.; Villanueva, M.; Rial, B.: Thermal Degradation of the Epoxy System BADGE n = 0/1,2-DCH Immersed in Hydrochloric Acid, 371
—; See Núñez, L., 366

Ogata, N.
—; Tatsushima, T.; Nakane, K.; Sasaki, K.; Ogihara, T.: Structure and Physical Properties of Cellulose Acetate/Poly(L-lactide) Blends, 1219
Ogihara, T. See Ogata, N., 1219
Oh, S. Y. See Song, S. M., 2202
Ohsaki, T. See Yoshikai, K., 2053
Okay, O. See Gündogan, N., 801
Okieimen, F. E.
—; Akinlabi, A. K.: Processing Characteristics and Physicomechanical Properties of Natural Rubber and Liquid Natural Rubber Blends, 1070
Oladegaragoze, A. See Mirmohseni, A., 2772
Olaya, M. M. See Fornasiero, F., 2041
Olayo, M. G. See Morales, J., 263
Olayo, R. See Morales, J., 263
Omalu, F. See Eboatu, A. N., 2781
Omi, S. See Du, Y.-Z., 2478; Kiatkamjornwong, S., 670; Ma, G.-H., 1530
Oshima, K. See Miyauchi, S., 1429
Ottøy, M. See Eikeland, M. S., 2458
Ou, Y.
—; Huang, Q.: Thermal Degradation of Cellulose-Based Complex Material, 2535
Ozawa, K. See Shibata, M., 129
Ozden, S.
—; Charayev, A. M.; Shaov, A. H.: Synthesis of *Block* Copolyetherether Ketones and Investigations of Their Properties, 485
Ozzetti, R. A.
—; De Oliveira Filho, A. P.; Schuchardt, U.; Mandelli, D.: Determination of Tacticity in Polypropylene by FTIR with Multivariate Calibration, 734

Padmaja, T.
—; Lele, B. S.; Deshpande, M. C.; Kulkarni, M. C.: Enzymatically Degradable Prodrugs: A Novel Methodology for Drug Linkage, 2108
Paecharoenchai, W. See Premphet, K., 2412
Pan, Q. See Wu, J., 1938
Pan, Y. See Zheng, Q., 950
Pandey, K. K.
—; Pitman, A. J.: Weathering Characteristics of Modified Rubberwood (*Hevea brasiliensis*), 622
Park, C. E. See Song, S. M., 2202
Park, C.-I. See Choi, W.-M., 2084
Park, H. See Jang, J., 2074
Park, J.-G. See Kim, J.-W., 328
Park, J.-K. See Jung, K.-I., 2764
Park, K. R. See Nho, Y. C., 1787
Park, L. S. See Jeong, S. W., 2092; Lee, D.-H., 38
Park, O. O. See Choi, W.-M., 2084
Park, S. J. See Kim, S. J., 1956
Park, S.-K. See Kim, J.-C., 2244
Parkhutik, V. See Patil, R., 1904
Parlak, M. See Bozkurt, A., 52
Pasch, H.
—; Pizzi, A.: Considerations on the Macromolecular Structure of Chestnut Ellagitannins by Matrix-Assisted Laser Desorption/Ionization–Time-of-Flight Mass Spectrometry, 429
Patel, S. H. See Bayram, G., 2615
Patil, R.
—; Matveeva, E.; Parkhutik, V.: Simple Chemical Polymerization Method for Deposition of Conducting Polyaniline on Surface of Acrylonitrile Butadiene Styrene, 1904
Pei, Y.-X. See Pei, Z.-C., 2521
Pei, Z.-C.
—; Pei, Y.-X.; Wang, Q.-R.: Acrylonitrile–Maleic Anhydride Copolymer Membranes with Different Molecular Weights, 2521
Peiffer, D. G. See Kumar, B., 1484
Pekel, N.
—; Güner, A.; Güven, O.: Conductometric and Viscometric Investigation of Poly(*N*-Vinylimidazole)–Metal Ion Complex Formation, 376
—; Güven, O.: Fourier Transform Infrared Photoacoustic Studies of the Adsorption Behavior of Poly(2-hydroxypropyl methacrylate) at Solid–Liquid Interface, 2750
Pekmez, K. See Şahin, Y., 1227
Penco, M. See Sartore, L., 1287
Peng, H. Y. See Qi, G. R., 415
Peng, M. See Zheng, Q., 950
Peng, Y. See Guan, Y., 351; Zhang, J., 2609
Peng, Z.
—; Li, S.-D.; Huang, M.-F.; Xu, K.; Wang, C.; Li, P.-W.; Chen, X.-G.: Thermogravimetric Analysis of Methyl Methacrylate-Graft-Natural Rubber, 2952
—; See Yin, D., 2667
Perera, M. C. S. See Siriwardena, S., 438
Perng, L. H.
—; Tsai, C. J.; Ling, Y. C.; Wang, S. D.; Hsu, C. Y.: Thermal Decomposition Characteristics of Poly diethyl-2-(methacryloyloxy)ethyl phosphate) Using

Thermogravimetric Analysis/Mass Spectrometry, 821
Peroni, I. See Sartore, L., 1287
Petrovicova, E. See Kamath, Y. K., 394
Petrucci, F. See Chiellini, F., 2729
Pinzino, C. S.
—; Chappelow, C. C.; Holder, A. J.; Morrill, J. A.; Harris, C. D.; Power, M. D.; Eick, J. D.: Visible Light-Induced Polymerization of Monooxiranes and 1,5,7,11-Tetraoxaspiro 5.5}undecanes, 159
Pitman, A. J. See Pandey, K. K., 622
Pivsa-Art, S.
—; Nakayama, A.; Kawasaki, N.; Yamamoto, N.; Aiba, S.: Biodegradability Study of Copolyesteramides Based on Diacid Chlorides, Diamines, and Diols, 774
Pizzi, A. See Pasch, H., 429
Plate, N. A. See Bairamov, D. F., 1128
Plummer, C. See Gupta, B., 1874
Poché, D. S.
—; Brown, R. J.; Meiske, L.: Flow-Injection Polymer Analysis of Ethylene Propylene Diene Monomer Elastomers. I, 2178
—; Esneault, C. P.; Roetker, S. L.; Heitman, T. E.: Flow-Injection Polymer Analysis of Styrenic Block Copolymers. II, 2190
Polotskaya, G. A.
—; Gladchenko, S. V.; Zgonnik, V. N.: Gas Diffusion and Dielectric Studies of Polystyrene–Fullerene Compositions, 2946
Pooley, S. A. See Rivas, B. L., 2559
Power, M. D. See Pinzino, C. S., 159
Prasad, A. V. See Singh, R. P., 1676
Prausnitz, J. M. See Fornasiero, F., 2041
Premphet, K.
—; Paecharoenchai, W.: Polypropylene/Metallocene Ethylene–Octene Copolymer Blends with a Bimodal Particle Size Distribution: Mechanical Properties and Their Controlling Factors, 2412
Prystansky, R. E. See Romaniuk, O. I., 2725
Puiggalí, J. See Montané, J., 1815
Pulat, M.
—; Akdoğan, A.: The Diffusion and Bulk Properties of Polyurethane (PU)-Based Hydrophilic and Hydrophobic Membranes, 193
Pyo, M.
—; Cho, C.: Deposition of Polypyrrole on Microporous Filtration Membranes at Air/Water Interface, 514

Qi, G. R.
—; Wang, Y. H.; Li, X. X.; Peng, H. Y.; Yang, S. L.: Viscometric Study on the Specific Interaction Between Proton-Donating Polymers and Proton-Accepting Polymers, 415
Qi, H. J.
—; Wang, D.; Ma, Z. L.; Sun, S. Q.; Sui, Q. Y.; Zhang, W. P.; Lu, J. J.: Molecular Structure and Hydrophobicity of Polymeric Fluorocarbon Films Deposited on PET Substrates, 1843
Qi, Z. See Wang, X., 2913
Qiao, J. See Gao, J., 1758; Lu, H., 333
Qin, J. See Zhan, C., 2718
Qu, B. See Wu, Q., 1581
Quintana, J. R.
—; Valderruten, N. E.; Katime, I.: Mechanical Properties of Poly(*N*-isopropyl-acrylamide-*co*-itaconic acid) Hydrogels, 2540

Raab, M. See Kotek, J., 1174
Rabie, S. M. See Moharram, M. A., 1619
Rabitz, H. See Faliks, A., 2922
Radovanovic, E. See Redondo, S. U. A., 2573
Raheno, H. See Mallakpour, S. E., 1141
Rajkumar, M. See Jayakumar, R., 1194
Raju, K. M.
—; Raju, M. P.; Mohan, Y. M.: Synthesis and Water Absorbency of Crosslinked Superabsorbent Polymers, 1795
Raju, M. P. See Raju, K. M., 1795
Ramadan, A. M. See Gawish, S. M., 1652
Ramírez, C. See Abad, M. J., 1553; López, J., 1277
Ramos, M. A. See Sartore, L., 1287
Rana, A. K. See Ray, D., 2588, 2594
Rang, M.-J. See Kim, J.-C., 2244
Rangarajan, P.
—; Yang, J.; Bhanu, V.; Godshall, D.; McGrath, J.; Wilkes, G.; Baird, D.: Effect of Comonomers on Melt Processability of Polyacrylonitrile, 69
Ranucci, E. See Chiellini, F., 2729
Rapoport, O. See Bokobza, L., 2301
Rath, S. K. See Boey, F. Y. C., 227
Rathna, G. V. N.
—; Damodaran, S.: Effect of Nonprotein Polymers on Water-Uptake Properties of Fish Protein-Based Hydrogel, 45
Ray, D.
—; Sarkar, B. K.; Basak, R. K.; Rana, A. K.: Study of the Thermal Behavior of Alkali-Treated Jute Fibers, 2594
—; Sarkar, B. K.; Rana, A. K.: Fracture Behavior of Vinylester Resin Matrix Composites Reinforced with Alkali-Treated Jute Fibers, 2588
Rebouillat, S.
—; Lavielle, L.; Wilmet, S.: Thermodynamics of Surface Self-Developing Structure Formation on Polyamide Films under Ultraviolet Irradiation, 645
Reddy, C. M. See Yasuda, H. K., 1387, 1443
Reddy, G. V. R.
—; Babu, Y. P. P.; Reddy, N. S. R.: Microemulsion and Conventional Emulsion Copolymerizations of Methyl Methacrylate with Acrylonitrile, 1503

Reddy, N. S. R. See Reddy, G. V. R., 1503
Redondo, S. U. A.
—; Radovanovic, E.; Gonçalves, M. C.; Yoshida, I. V. P.: Eucalyptus Kraft Pulp Fibers as an Alternative Reinforcement of Silicone Composites. I. Characterization and Chemical Modification of Eucalyptus Fibers with Organosilane Coupling Agent, 2573
Rempel, G. L. See Wu, J., 1938
Reneau, C. W. See Edwards, B. J., 1714
Rescigno, A. See Sanjust, E., 2471
Rezac, M. E. See Wilks, B., 2436
Rhee, J. M. See Khang, G., 1253
Rhim, J.-W.
—; Lee, S.-W.; Kim, Y.-K.: Pervaporation Separation of Water–Ethanol Mixtures Using Metal-Ion-Exchanged Poly(vinyl alcohol) (PVA)/Sulfosuccinic Acid (SSA) Membranes, 1867
Rial, B. See Núñez, L., 366; Núñez, M. R., 371
Ribes-Greus, A. See Vallés-Lluch, A., 2211
Riccardi, C. C. See Mauri, A. N., 2342
Rigobelo Chaud, M. See Gregorio, R., Jr., 1362
Rivas, B. L.
—; Pooley, S. A.; Aceitón, E.; Geckeler, K. E.: Synthesis, Characterization, and Properties of a Selective Adsorbent to Mercury(II) Ions, 2559
—; Seguel, G. V.; Geckeler, K. E.: Synthesis, Characterization, and Properties of Polychelates of Poly(Styrene Sulfonic Acid-*co*-Maleic Acid) With Co(II), Cu(II), Ni(II), and Zn(II), 2546
—; See Amalia-Pooley, S., 2929; Sánchez, C. O., 2564
Robello, D. R. See Balke, S. T., 552
Rodríguez, A. See González, L., 491
Rodríguez-Galaán, A. See Montané, J., 1815
Roetker, S. L. See Poché, D. S., 2190
Rohlfing, D. C. See Sukhadia, A. M., 2396
Romaniuk, O. I.
—; Turovskiy, A. A.; Kurechko, N. I.; Prystansky, R. E.; Zaikov, G. E.; Zaikov, V. G.: Research of a Membrane's Material by Reversed Gas Chromatography, 2725
Roy, C. See Huang, J., 139
Rudakova, T. A. See Kodolov, V. I., 1477
Ruetsch, S. B. See Kamath, Y. K., 394
Ruiz, J.
—; Mantecón, A.; Cádiz, V.: Investigation of Loading and Release in PVA-Based Hydrogels, 1644
Russick, E. M. See McElhanon, J. R., 1496
Ryabenko, E. A.
—; Yaroshenko, A. M.; Blum, G. Z.; Zaikov, G. E.; Zaikov, V. G.: Ecological Aspects of the Manufacture and Application of Highly Pure Liquid Substances, 906
Ryoo, J. J. See Choi, S.-H., 2451

Šabata, S.
—; Hetflejš, J.: Hydrogenation of Low Molar Mass OH-Telechelic Polybutadienes Catalyzed by Homogeneous Ziegler Nickel Catalysts, 1185
Sabater, M. C. See Font, R., 1945
Sabhapondit, A.
—; Sarmah, A.; Borthakur, A.; Haque, I.: Rheological Behavior of *N,N*-Dimethyl acrylamide–acrylamido methylpropane sulphonate Copolymer, 1521
Saccani, A. See Motori, A., 2271
Sachdeva, R. See Bajpai, A. K., 1607
Şahin, Y.
—; Pekmez, K.; Yildiz, A.: Electrochemical Copolymerization of Aniline and Anilinesulfonic Acids in FSO_3H/Acetonitrile Solution, 1227
Saikia, P. J.
—; Goswami, A.; Baruah, S. D.: Reverse Atom Transfer Radical Polymerization of Stearyl Methacrylate Using 2,2′-Azobisisobutyronitrile as the Initiator, 1236
Samuel, J.
—; Xavier, T.; Kurian, T.: High Styrene–Rubber Ionomers, an Alternative to Thermoplastic Elastomers, 2294
Sánchez, C. O.
—; Rivas, B. L.: Poly(1,2-diaminobenzene) and Poly(1,3-diaminobenzene): Synthesis, Characterization, and Properties, 2564
Sangribsub, S.
—; Tangboriboonrat, P.: Toughness Enhancement of High-Impact Polystyrene Based on γ-Radiation Vulcanized Natural Rubber Latex by Using Block Copolymer, 1307
Sanjust, E.
—; Cocco, D.; Curreli, N.; Rescigno, A.; Sollai, F.; Bannister, J. V.: Flavin-Grafted Poly(vinyl alcohol): Preparation and Properties, 2471
Santiago, J. I. See Lin, J., 177
Saraf, D. N. See Mankar, R. B., 2350
Sarkar, B. K. See Ray, D., 2588, 2594
Sarmah, A. See Sabhapondit, A., 1521
Sartore, L.
—; Penco, M.; Bignotti, F.; Peroni, I.; Gil, M. H.; Ramos, M. A.; D'Amore, A.: Grafting of Selected Presynthesized Macromonomers onto Various Dispersions of Silica Particles, 1287
Sasaki, K. See Ogata, N., 1219
Sasaki, Y. See Suto, S., 865
Sawada, H.
—; Murai, Y.; Kawase, T.; Minami, T.; Kyokane, J.: Synthesis and Gelation of Fluoroalkyl End-Capped Copolymers Containing Glucosyl Segments: Application to New Fluorinated Conductive Polymer Electrolytes, 2833
Schauer, J. See Kosmala, B., 1118
Schork, F. J. See Wu, X. Q., 2219
Schuchardt, U. See Ozzetti, R. A., 734

Schwark, H.-J. See Kamath, Y. K., 394
Seguel, G. V. See Rivas, B. L., 2546
Sen, K. See Gupta, B., 282
Senthil, S.
—; Kannan, P.: Studies on the Mesomorphic Properties of Ferrocenylene-Based Organophosphorous Liquid-Crystalline Polymers Containing Phenyl and Biphenyl Pendant Units, 831
Seo, K. H. See Jeong, S. W., 2092; Lee, D.-H., 38
Shah, K. G.
—; Akundy, G. S.; Iroh, J. O.: Polyaniline Coated on Aluminum (Al-2024-T3): Characterization and Electrochemical Studies, 1669
Shaker, A. M. See Khairou, K. S., 1019
Shanina, E. L.
—; Zaikov, G. E.; Fazlieva, L. K.; Bukharov, S. V.; Mukmeneva, N. A.: Influence of Synergists: The Influence of Hydroperoxide Decomposers on Phenolic Inhibitors Consumption in Oxidized Polypropylene, 2239
Shao, X.
—; Tian, J.; Liu, W.; Xue, Q.; Ma, C.: Tribological Properties of SiO_2 Nanoparticle Filled–Phthalazine Ether Sulfone/Phthalazine Ether Ketone (50/50 mol %) Copolymer Composites, 2136
Shaov, A. H. See Ozden, S., 485
Sharma, K. C. See Bandgar, B. M., 1002
Shehata, A. B. See Hassan, M. A., 2808
Shen, J. See Ma, Z., 2163
Shen, K. See Wang, Y., 236
Shen, K. Z. See Yan, Z., 1587
Shen, Z.-G. See Fan, R., 2635
Sheng, J. See Xie, Z., 307
Shi, G. See Wang, F., 785; Zhi, J., 2155
Shi, L. See Ma, J., 1077
Shi, Y. See Ma, J., 1077
Shibata, M.
—; Takachiyo, K.-I.; Ozawa, K.; Yosomiya, R.; Takeishi, H.: Biodegradable Polyester Composites Reinforced with Short Abaca Fiber, 129
Shieh, C.-J. See Twu, Y.-K., 9
Shih, C.-Y.
—; Huang, K.-S.: Kinetic Studies of Crease-Resistant Finishing Process for Cotton Fabrics with DMEU/MMEU Prepolymer Mixture, 509
—; Huang, K.-S.: The Study of Rapid Curing Crease-Resistant Processing on Cotton Fabrics. II. Effect of Poly(ethylene glycol) on Physical Properties of Processed Fabrics, 1008
Shim, B.-S. See Jeon, J.-Y., 1881
Shim, M. J. See Lu, M. G., 2552
Shim, Y.-H. See Yu, J.-J., 2625
Shimomura, M. See Miyauchi, S., 1429
Shin, B.-S. See Kang, G.-D., 2890
Shin, H.-D. See Choi, S.-H., 2451
Shin, M.-S.
—; Kim, S. I.; Kim, I. Y.; Kim, N. G.; Song, C. G.; Kim, S. J.: pH- and Thermal Characteristics of Graft Hydrogels Based on Chitosan and Poly(dimethylsiloxane), 2661
—; Kim, S. J.; Kim, I. Y.; Kim, N. G.; Song, C. G.; Kim, S. I.: Swollen Behavior of Crosslinked Network Hydrogels Based on Poly(vinyl alcohol) and Polydimethylsiloxane, 957
—; See Kim, S. J., 1956
Shinmura, T. See Jar, P.-Y. B., 17
Shirai, H. See Lin, H., 1378
Shrivastava, M. See Bajpai, A. K., 1419
Shukla, S. R.
—; Kulkarni, K. S.: Depolymerization of Poly(ethylene terephthalate) Waste, 1765
Shuklin, S. G. See Kodolov, V. I., 1477
Shustov, G. B. See Kozlov, G. V., 1137
Shyu, S.-S. See Su, F.-H., 1888
Si, L.
—; Zheng, A.; Yang, H.; Guo, R.; Zhu, Z.; Zhang, Y.: A Study on New Polymerization Technology of Styrene, 2130
Siegel, R. A. See Bairamov, D. F., 1128
Siegmann, A. See Jia, W., 1706
Simon, J. See Bajpai, A., 244
Singh, M.
—; Kanungo, B. K.; Bansal, T. K.: Kinetic Studies on Curing of Hydroxy-Terminated Polybutadiene Prepolymer-Based Polyurethane Networks, 842
Singh, R. P.
—; Prasad, A. V.; Solanky, S. S.: The Oxidative Degradation of Styrenic Copolymers: A Comparison of Photoproducts Formation Under Natural and Accelerated Conditions, 1676
Siriwardena, S.
—; Ismail, H.; Ishiaku, U. S.; Perera, M. C. S.: Mechanical and Morphological Properties of White Rice Husk Ash Filled Polypropylene/Ethylene-Propylene-Diene Terpolymer Thermoplastic Elastomer Composites, 438
Sisti, L. See Motori, A., 2271
Skonieczny, K. See Balke, S. T., 552
Sokkar, T. Z. N. See El-Morsy, M. A., 475
Solanky, S. S. See Singh, R. P., 1676
Solaro, R. See Chiellini, F., 2729
Soliman, A. See Abd-El-Messieh, S. L., 271
Sollai, F. See Sanjust, E., 2471
Somashekar, R. See Londono, J. D., 2382
Song, C. G. See Shin, M.-S., 957, 2661
Song, H. See Ma, J., 2287
Song, K. See Xie, Z., 307
Song, M.-E. See Kim, J.-C., 2244
Song, S. M.
—; Cho, K.; Park, C. E.; Yun, H. K.; Oh, S. Y.: Synthesis and Characterization of Water-Soluble Polymeric Adhesion Promoter for Epoxy Resin/Copper Joints, 2202
Song, X. L. See Boey, F. Y. C., 227
Song, Y.-C. See Cao, F., 2787
Soppimath, K. S. See Kulkarni, A. R., 911

Špírková, M.
—; Polyurethane Elastomers Made from Linear Polybutadiene Diols, 84
Startsev, O. V. See Issoupov, V., 342
Stutz, H. See Hädicke, E., 929
Su, F.-H.
—; Shyu, S.-S.; Chen, Y.-C.; Fu, Y.-J.: Steady-Shear Rheology Properties of Polydimethylsiloxane (PDMS) Colloids as a New Contrast Agent for Nuclear Magnetic Resonance Imaging, 1888
Su, W. See Iroh, J. O., 2757
Su, W.-F. A.
—; Chuang, C.-M.: Effects of Chemical Structure Changes on Curing Reactions and Thermal Properties of Cyanate Ester-Cured Rigid-Rod Epoxy Resins, 2419
Sudol, E. D. See Ma, G.-H., 1530
Suh, K.-D. See Kim, J.-W., 328
Suh, T. S.
—; Joo, C.-K.; Kim, Y. C.; Lee, M. S.; Lee, H. K.; Choe, B. Y.; Chun, H. J.: Surface Modification of Polymethyl Methacrylate Intraocular Lenses with the Mixture of Acrylic Acid and Acrylamide via Plasma-Induced Graft Copolymerization, 2361
Sui, Q. Y. See Qi, H. J., 1843
Sui, Y.
—; Lu, J.-X.; Yin, J.; Wang, D.; Zhu, Z.-K.; Wang, Z.-G.: High T_g Second-Order Nonlinear Optical Poly(urethane–imide)s Prepared from Disperse Red 19, Pyromellitic Dianhydride, and Tolylene Diisocyanate, 944
Sukhadia, A. M.
—; Rohlfing, D. C.; Johnson, M. B.; Wilkes, G. L.: A Comprehensive Investigation of the Origins of Surface Roughness and Haze in Polyethylene Blown Films, 2396
Sun, C. See Yang, H., 2600; Zhao, R., 2885
Sun, J. See Xie, H., 2742
Sun, K. See Yin, D., 2667
Sun, S. Q. See Qi, H. J., 1843
Sun, S. S. See Ma, J., 2287
Sun, Y.-M.
—; Hung, A. Y. C.; Wang, C.-T.: Studies on the Synthesis and Optical Properties of Novel Blue Light-Emitting Polymers Containing Phosphorus and Oxadiazole Structures, 2367
Suto, S.
—; Mitamura, J.; Sasaki, Y.: Recoverable Shear Strain of Liquid Crystal-Forming Concentrated Hydroxypropyl Cellulose Solutions, 865
Svoboda, P.
—; Zeng, C.; Wang, H.; Lee, L. J.; Tomasko, D. L.: Morphology and Mechanical Properties of Polypropylene/Organoclay Nanocomposites, 1562

Tabka, M. T.
—; Widmaier, J.-M.: Interference between Reactants in Simultaneous Interpenetrating Polymer Network Formation. II. Influence of the Presence of a Free-Radical Initiator on Polyurethane Formation, 1929
Tak, T.-M. See Kim, I.-C., 1024
Takachiyo, K.-I. See Shibata, M., 129
Takeishi, H. See Shibata, M., 129
Tam, K. C. See Tang, L. W., 209
Tan, G. See Yang, Z., 530
Tan, K. See Zheng, Q., 950
Tang, L. W.
—; Tam, K. C.; Yue, C. Y.; Hu, X.; Lam, Y. C.; Li, L.: Morphology and Mechanical Properties of Reactive Compatibilized Polystyrene/Ethylene–Vinyl Acetate–Vinyl Alcohol Blends, 209
Tang, X. See Hong, L., 2445
Tangboriboonrat, P. See Sangribsub, S., 1307
Tanigami, T. See Kiuchi, M., 632
Tasaka, S. See Inagaki, N., 2845
Tatrishvili, T. N. See Mukbaniani, O. V., 1047
Tatsushima, T. See Ogata, N., 1219
Tavares, M. I. B.
—; Mothé, C. G.; Araújo, C. R.: Solid-State Nuclear Magnetic Resonance Study of Polyurethane/Natural Fibers Composites, 1465
—; See Diniz, T. M. F. F., 2820
Tchoudakov, R. See Jia, W., 1706
Temiraev, K. B. See Kozlov, G. V., 1137
Tera, F. M. See Micheal, M. N., 1897
Teymour, F. See Giannakitsas, I., 571
Thomas, K. T. See George, K. M., 292
Tian, J. See Shao, X., 2136
Tian, M. See Li, Q., 2652
Tjong, S. C. See Fung, K. L., 169; Wang, S. J., 2327
Tomasko, D. L. See Svoboda, P., 1562
Topak, H. See Kaya, I., 2004
Toppare, L. See Bozkurt, A., 52
Torri, G. See Martel, B., 1771
Toti, U. S.
—; Aminabhavi, T. M.: Pervaporation Separation of Water–Isopropyl Alcohol Mixtures with Blend Membranes of Sodium Alginate and Poly(acrylamide)-Grafted Guar Gum, 2014
Tsai, C. J. See Perng, L. H., 821
Tsai, Y.-T. See Lin, S.-S., 2172
Tsatsaroni, E. G. See Georgiadou, K. L., 123
Tseng, C.-R.
—; Wu, J.-Y.; Lee, H.-Y.; Chang, F.-C.: Preparation and Characterization of Polystyrene–Clay Nanocomposites by Free-Radical Polymerization, 1370
Turky, G. M.
—; Abd El-Reheim, M. H.; Badran, A. S.: Effect of Surface Modification of Glass Wool on the Mechanical and Electrical Properties of Polypropylene/Modified Glass-Wool Composites, 1061
Turovskiy, A. A. See Romaniuk, O. I., 2725
Twu, Y.-K.
—; Chen, C.-J.; Shieh, C.-J.: Formulation and Optimization of Thermoplastic Polyamide Elastomer Properties by Mixture Response Surface Methodology, 9

Uchikawa, A. See Kiuchi, M., 632
Ueno, N. See Lin, H., 1378

Usanmaz, A.
—; Latifoğlu, M. A.; Doğan, A.; Akkaş, N.; Yetmez, M.: Mechanical Properties of Soft Liner–Poly(methyl methacrylate)-Based Denture Material, 467
—; See Karacaer, Ö., 1683

Valderruten, N. E. See Quintana, J. R., 2540
Vallés-Lluch, A.
—; Camacho, W.; Ribes-Greus, A.; Karlsson, S.: Influence of Water on the Viscoelastic Behavior of Recycled Nylon 6,6, 2211
Varghese, S. See Vinod, V. S., 519
Varkey, J. K. See George, K. M., 292
Viel, V. See Issoupov, V., 342
Vijayanand, P. S.
—; Arunprasath, R.; Balaji, R.; Nanjundan, S.: Synthesis, Spectral Properties, and Thermal Properties of Homo- and Copolymers of 3,5-Dimethylphenyl Acrylate with Glycidyl Methacrylate and Determination of Reactivity Ratios, 2261
Vilayetoğlu, A. R. See Kaya, İ., 218, 2004
Villanueva, M. See Núñez, L., 366; Núñez, M. R., 371
Vinod, V. S.
—; Varghese, S.; Kuriakose, B.: Effect of Bonding Agents on Styrene Butadiene Rubber–Aluminum Powder Composites, 519
Viswanath, B. See Kishore, 752

Wadsworth, L. C. See Zhao, R., 2885
Wan, F.
—; Li, L.; Wan, X.; Xue, G.: Modification of Polyindole by the Incorporation of Pyrrole Unit, 814
Wan, G. See Guan, Y., 351
Wan, X. See Wan, F., 814
Wan, Y. Z.
—; Wang, Y. L.; Cheng, G. X.; Han, K. Y.: Three-Dimensionally Braided Carbon Fiber–Epoxy Composites, A New Type of Material for Osteosynthesis Devices. I. Mechanical Properties and Moisture Absorption Behavior, 1031
Wang, C. See Peng, Z., 2952
Wang, C.-C.
—; Chen, C.-Y.: Detection of Lead Ion Binding on Bifunctional Chelating/Ion-Exchange Resins by Cross-Polarization/Magic-Angle Spinning Solid-State Nuclear Magnetic Resonance, 919
Wang, C.-T. See Sun, Y.-M., 2367
Wang, D. See Qi, H. J., 1843; Sui, Y., 944
Wang, F.
—; Shi, G.; Xu, Z.; Zhang, J.; Chen, F.; Hong, X.: Carbonaceous Materials Prepared from Carbon Tetrachloride and Dimethyl Sulfoxide, 785
Wang, G.
—; Jiang, P.; Zhu, Z.; Yin, J.: Structure–Property Relationships of LLDPE—Highly Filled with Aluminum Hydroxide, 2485
Wang, H. See Svoboda, P., 1562
Wang, J. M. See Wang, L. F., 114
Wang, K.
—; Zhou, C.; Yu, W.: Effects of Vibration Blending on the Subsequent Crystallization Behavior of Polycarbonate/Polypropylene Blends, 92
Wang, L. F.
—; Wang, J. M.; Chiang, Y. L.: Insolubilization of Sodium Chondroitin Sulfate by Forming a Semi-Interpenetrating Polymer Network with Acrylic Acid: A Potential Carrier for Colon-Specific Drug Delivery, 114
Wang, M. See Zhang, J., 2609
Wang, Q.-R. See Pei, Z.-C., 2521
Wang, S.
—; Hua, W.; Chen, X.; Hou, Y.: Synthesis and Light-Emitting Properties of New Poly(*p*-phenylenevinylene) Derivatives Containing Oxadiazole Moiety, 422
Wang, S. D. See Perng, L. H., 821
Wang, S. J.
—; Du, L. C.; Zhao, X. S.; Meng, Y. Z.; Tjong, S. C.: Synthesis and Characterization of Alternating Copolymer from Carbon Dioxide and Propylene Oxide, 2327
Wang, W. See Xie, W., 1357
Wang, X.
—; Wu, Q.; Dong, J.; Hu, Y.; Qi, Z.: Characterization of Polyethylene/Kaolin Composites by Polymerization Filling with Cp_2ZrCl_2/MAO Catalyst System, 2913
—; See Hong, L., 2445; Zhang, Q., 1458
Wang, X.-D. See Nie, J., 1802
Wang, Y.
—; Zou, H.; Fu, Q.; Zhang, G.; Shen, K.: Super Polyolefin Blends Achieved Via Dynamic Packing Injection Molding: Tensile Strength, 236
Wang, Y. H. See Qi, G. R., 415
Wang, Y. L. See Wan, Y. Z., 1031
Wang, Y.-S. See Koo, Y.-S., 1634
Wang, Y. Z. See Zhang, W. X., 153
Wang, Z. G. See Fu, Z. S., 896
Wang, Z.-G. See Sui, Y., 944
Wei, C.-I. See Lin, J., 177
Wei, G. See Gao, J., 1758
Wei, W. See Mao, Y., 2528
Wei, Y. See Faliks, A., 2922
Weidisch, R. See Adhikari, R., 701; Michler, G. H., 683
Wheeler, D. R. See McElhanon, J. R., 1496
Widmaier, J.-M. See Tabka, M. T., 1929
Wieliczka, D. M. See Yasuda, H. K., 1387, 1443
Wilhelm, H. M.
—; Felisberti, M. I.: Blends of i-PP and SBS. I. Influence of the *In Situ* Compatibilization on the Morphology, 847
Wilkes, G. See Rangarajan, P., 69
Wilkes, G. L. See Aneja, A., 2956; Sukhadia, A. M., 2396
Wilks, B.
—; Rezac, M. E.: Properties of Rubbery Polymers for the Recovery of Hydrogen Sulfide from Gasification Gases, 2436
Williams, J. F. See Lin, J., 177
Wilmet, S. See Rebouillat, S., 645
Winkelmann, C. See Lin, J., 177
Wong, C. P. See Luo, S., 1
Worley, S. D. See Lin, J., 177

Wu, C.-S.
—; Lai, S.-M.; Liao, H.-T.: Graft Reaction of Acrylic Acid onto Metallocene-Based Polyethylene-Octene Elastomer, 2905
Wu, C. S.
—; Liu, Y. L.; Chiu, Y. S.: Preparation of Phosphorous-Containing Poly(epichlorohydrin) and Polyurethane from a Novel Synthesis Route, 2254
Wu, J.
—; Pan, Q.; Rempel, G. L.: High-Pressure Phase Equilibria for a Styrene/CO_2/Polystyrene Ternary System, 1938
Wu, J.-Y. See Tseng, C.-R., 1370
Wu, Q.
—; Qu, B.: Synthesis of Di (4-Hydroxyl Benzophenone) Sebacate and Its Usage as Initiator in the Photocrosslinking of Polyethylene, 1581
—; See Wang, X., 2913
Wu, X. See Fang, Q., 1317
Wu, X. Q.
—; Hong, X. M.; Cordeiro, C.; Schork, F. J.: Miniemulsion and Macroemulsion Copolymerization of Vinyl Acetate with Vinyl Versatate, 2219

Xanthos, M. See Bayram, G., 2615
Xavier, T. See Samuel, J., 2294
Xi, Y. See Zhan, C., 2718
Xie, H.
—; Deng, P.; Dong, L.; Sun, J.: LDPE/Carbon Black Conductive Composites: Influence of Radiation Crosslinking on PTC and NTC Properties, 2742
Xie, J. See Lu, G., 1736
Xie, P. See Cao, M., 873
Xie, W.
—; Xu, P.; Wang, W.; Liu, Q.: Preparation of Water-Soluble Chitosan Derivatives and Their Antibacterial Activity, 1357
Xie, Y.
—; Yang, Q.: Surface Modification of Poly(vinyl chloride) for Antithrombogenicity Study, 1013
Xie, Z.
—; Zhang, D.; Sheng, J.; Song, K.: Effect of Mixer Resident Time on the Overall Moduli of Polymer Blends, 307
Xu, J. See Liu, Z. S., 2100; Ma, J., 1077
Xu, K. See Peng, Z., 2952
Xu, P. See Xie, W., 1357
Xu, Y. See Lu, H., 333
Xu, Z. See Wang, F., 785
Xue, G. See Wan, F., 814
Xue, Q. See Shao, X., 2136

Yagci, Y. See Degirmenci, M., 2389
Yagoubi, N. See Guignot, C., 1970
Yamamoto, N. See Pivsa-Art, S., 774
Yamamoto, T. See Inagaki, N., 1087
Yamauchi, T. See Miyauchi, S., 1429
Yamaura, K. See Kiuchi, M., 632
Yan, Z.
—; Shen, K. Z.; Zhang, J.; Chen, L. M.; Zhou, C.: Effect of Vibration on Rheology of Polymer Melt, 1587
Yang, A. M. See Fu, Z. S., 896
Yang, H.
—; Lai, M.; Liu, W.; Sun, C.; Liu, J.: Morphology and Thermal and Mechanical Properties of PBT/HIPS and PBT/HIPS-G-GMA Blends, 2600
—; See Si, L., 2130
Yang, J.
—; Zhang, Y.; Zhang, Y.: Tensile Deformation and Fracture Mechanism of Highly Filled High-Density Polyethylene/$Al(OH)_3$ Composites, 1207
—; See Rangarajan, P., 69
Yang, M.-H.
—; On the Thermal Degradation of Poly(Styrene Sulfones). VII. Evaluations of Poly(Styrene Sulfone) Thermal Stability Using Invariant Kinetic Parameters, 1698
Yang, Q. See Xie, Y., 1013
Yang, S. L. See Qi, G. R., 415
Yang, Y. See Dan, Y., 2839; Lai, M., 1297; Lu, H., 333
Yang, Z.
—; Zhuang, L.; Tan, G.: Preparation and Adsorption Behavior for Metal of Chitosan Crosslinked by Dihydroxy Azacrown Ether, 530
Yang, Z.-B. See Ke, Y.-C., 2677
Yao, K. See Yuan, X., 936
Yaroshenko, A. M. See Ryabenko, E. A., 906
Yasnovsky, V. M.
—; Rheology of Polymeric Solutions I. Zero Shear Conditions, 2064
Yasuda, H. K.
—; Yu, Q. S.; Reddy, C. M.; Moffitt, C. E.; Wieliczka, D. M.: Adhesion of Spray Primers to Plasma Polymer Coatings, 1443
—; Yu, Q. S.; Reddy, C. M.; Moffitt, C. E.; Wieliczka, D. M.: Adhesion of the Plasma Polymer of Trimethylsilane to Aluminum Alloys, 1387
Yatagai, T. See El-Morsy, M. A., 475
Ye, M. See Fan, R., 2635
Ye, S.
—; Chen, M.: Controlled-Release Polyurethane Created by Absorbing Transition-Metal Acetate and Benzyl Carbinol, 1170
Yeh, J.-T. See Huang, W.-K., 1980
Yerlikaya, Z.
—; Aksoy, S.; Bayramli, E.: Synthesis and Melt Spinning of Fully Aromatic Thermotropic Liquid Crystalline Copolyesters Containing *m*-Hydroxybenzoic Acid Units, 2580
Yetmez, M. See Usanmaz, A., 467
Yetter, R. A. See Faliks, A., 2922
Yi, S. See Chian, K. S., 2935
Yildiz, A. See Şahin, Y., 1227
Yilmazer, U. See Bayram, G., 2615
Yin, D.
—; Zhang, Y.; Zhang, Y.; Peng, Z.; Fan, Y.; Sun, K.: Reinforcement of Peroxide-Cured Styrene–Butadiene Rubber Vulcanizates by Mathacrylic Acid and Magnesium Oxide, 2667
Yin, J. See Sui, Y., 944; Wang, G., 2485

Yoon, S. W. See Jung, K.-I., 2764
Yoshida, I. V. P. See Redondo, S. U. A., 2573
Yoshikai, K.
—; Ohsaki, T.; Furukawa, M.: Silica Reinforcement of Synthetic Diene Rubbers by Sol–Gel Process in the Latex, 2053
Yosomiya, R. See Shibata, M., 129
You, S.-H. See Koo, Y.-S., 1634
Yu, J.-J.
—; Jeong, Y.-I.; Shim, Y.-H.; Lim, G.-T.: Preparation of Core–Shell Type Nanoparticles of Diblock Copolymers of Poly(L-lactide)/Poly(ethylene glycol) and Their Characterization *In Vitro*, 2625
Yu, Q. S. See Yasuda, H. K., 1387, 1443
Yu, W. See Wang, K., 92
Yuan, J. See Ma, Z., 2163
Yuan, X.
—; Mak, A. F. T.; Yao, K.: *In Vitro* Degradation of Poly(L-lactic acid) Fibers in Phosphate Buffered Saline, 936
Yue, C. Y. See Boey, F. Y. C., 227; Chian, K. S., 2935; Tang, L. W., 209
Yun, H. K. See Song, S. M., 2202

Zaidi, B. See Alimi, K., 1858
Zaikov, G. E. See Romaniuk, O. I., 2725; Ryabenko, E. A., 906; Shanina, E. L., 2239
Zaikov, V. G. See Romaniuk, O. I., 2725; Ryabenko, E. A., 906
Zamanlou, M.-R. See Mallakpour, S. E., 315
Zang, B. See Jia, Y., 1104; Zhi, J., 2155
Zeng, C. See Svoboda, P., 1562
Zgonnik, V. N. See Polotskaya, G. A., 2946
Zhan, C.
—; Cheng, Z.; Zheng, J.; Zhang, W.; Xi, Y.; Qin, J.: Synthesis and Fluorescence of Polymeric Triphenylamine Obtained by Oxidative-Coupling Polymerization, 2718
Zhang, A.
—; Zhang, B.; Feng, Z.: Compatibilization by Main-Chain Thermotropic Liquid Crystalline Ionomer of Blends of PBT/PP, 1110
Zhang, B. See Jia, Y., 1104; Zhang, A., 1110; Zhi, J., 2155
Zhang, D. See Li, C.-C., 2644; Xie, Z., 307; Zhao, R., 2885
Zhang, G. See Wang, Y., 236
Zhang, H. T.
—; Huang, J. X.; Jiang, B. B.: Kinetics of Polymerization and Particle Stabilization Mechanism on Dispersion Copolymerization of Styrene and Divinylbenzene, 2230
Zhang, J.
—; Ding, X.; Peng, Y.; Wang, M.: Synthesis and Characterization of Novel Magnetic Polymer Microspheres with Photoconductivity, 2609
—; See Ma, Z.-L., 257; Mao, Y., 2528; Wang, F., 785; Yan, Z., 1587
Zhang, L. See Li, Q., 2652
Zhang, M. See Liang, G., 2377
Zhang, Q.
—; Wang, X.; Chen, D.; Jing, X.: Preparation and Properties of Conductive Polyaniline/Poly-ω-aminoundecanoyle Fibers, 1458
Zhang, R. See Cao, M., 873
Zhang, W. See Guan, Y., 351; Zhan, C., 2718
Zhang, W. P. See Qi, H. J., 1843
Zhang, W. X.
—; Wang, Y. Z.: Manufacture of Carbon Fibers from Polyacrylonitrile Precursors Treated with $CoSO_4$, 153
Zhang, X.
—; Huang, H.; Zhang, Y.: Dynamically Vulcanized Nitrile Rubber/Polypropylene Thermoplastic Elastomers, 2862
—; See Gao, J., 1758
Zhang, Y. See Cao, M., 873; Si, L., 2130; Yang, J., 1207; Yin, D., 2667; Zhang, X., 2862
Zhang, Z. See Fei, J., 2423
Zhao, R.
—; Wadsworth, L. C.; Zhang, D.; Sun, C.: Polymer Distribution During Bicomponent Melt Blowing of Poly(propylene)/Poly(ethylene terephthalate) and Its Improvement, 2885
Zhao, X. S. See Wang, S. J., 2327
Zheng, A. See Si, L., 2130
Zheng, H.
—; Nainani, K.; Bell, J. P.: Protective Flexible Coatings on Copper by Spontaneous Polymerization, 1749
Zheng, J. See Zhan, C., 2718
Zheng, Q.
—; Tan, K.; Peng, M.; Pan, Y.: Study on the Phase Separation of Thermoplastic-Modified Epoxy Systems by Time-Resolved Small-Angle Laser Light Scattering, 950
Zhi, J.
—; Zhang, B.; Zang, B.; Shi, G.: Synthesis and Properties of Photochromic Cholesteric Liquid Crystalline Polysiloxane Containing Chiral Mesogens and Azobenzene Photochromic Groups, 2155
Zhong, A. See Lin, X., 638
Zhong, L. See Fei, J., 2423
Zhou, C. See Wang, K., 92; Yan, Z., 1587
Zhou, E. See Jia, Y., 1104
Zhou, M. H.
—; Cho, W.-J.: Synthesis and Properties of High Oil-Absorbent 4-*tert*-Butylstyrene-EPDM-Divinylbenzene Graft Terpolymer, 2119
Zhou, W.-L. See Fan, R., 2635
Zhou, X. See Lin, Q., 536, 2824
Zhou, Z. See Lin, X., 638
Zhou, Z. F.
—; Huang, H.; Liu, N. C.: Kinetics and Mechanism of Grafting of Crotonic Acid onto Acrylonitrile–Butadiene–Styrene Terpolymer, 726
Zhu, C.-F. See Ke, Y.-C., 2677
Zhu, Q.
—; Feng, S.; Chen, J.: Synthesis and Investigation of Oligosiloxanes Containing γ-Trimethylsiloxy-propyl or γ-Hydroxy-propyl Groups, 2431
Zhu, Z. See Si, L., 2130; Wang, G., 2485
Zhu, Z.-K. See Sui, Y., 944
Zhuang, L. See Yang, Z., 530
Zou, H. See Wang, Y., 236

Journal of Applied Polymer Science

Subject Index—Volume 85

Abaca, 129
Abrasion, 2491
Absorption, 1170, 2458
Accelerated weathering, 1676
Acetone, 1945
Acoustic property, 2764
Acrylamide, 193, 282, 1795, 2361
Acrylic acid, 1874, 2361, 2451, 2905
Acrylonitrile–butadiene rubber, 385
Acrylonitrile–butadiene–styrene (ABS) terpolymer, 606
Acrylonitrile–butadiene–styrene (ABS)/epoxy blends, 1277
Acrylonitrile–butadiene–styrene copolymer, 2652
Acrylonitrile–butadiene–styrene terpolymer, 726
Acrylonitrile–maleic anhydride copolymer, 2521
Activated sludge, 774
Activation energy, 371, 842, 1698
Active polymers, 315
Additives, 974, 1008, 1317, 1742, 2239
Adhesion, 455, 519, 1253, 1387, 1443, 1749, 2757
Adhesion degradation, 1
Adhesion strength, 2202
Adhesive, 467
Adhesives, 856, 1945, 2261
Adsorption, 385, 530, 1246, 1253, 1607, 2750
Adsorption property, 1378
Ageing, 342
Aging, 1
Agricultural residues, 792
Air oxygen, 2004
Alcoflood, 2896
Alkaline hydrolysis, 1652
α-amino acids, 1815
α-Cellulose, 1634
Alumina, 2750
Aluminum alloy, 1669
Aluminum hydroxide, 2485
Aluminum powder, 519
Aluminum(III)acetylacetonate, 2787
Amine-cured epoxy, 929
Amino acid analysis, 2890
Amorphous, 1469
Amorphous layer, 358
Amorphousity, 1897
Amylose, 1434
Antibacterial activity, 1194, 1357
Antimicrobial activity, 2004
Antioxidants, 2239
Antithrombogenicity, 1013
Aromatic polyimide, 38
Ascidian tunic, 1634
As-spun fibers, 1458
Atom transfer radical polymerization (ATRP), 1236
Atomic force microscopy, 1553
Atomic force microscopy (AFM), 328, 394, 1477
Azacrown ether, 530
Azobenzene, 2155

BADGE (n = 0)/1,2-DCH/$CaCO_3$, 366
β-Butyrolactone, 965
β-NAD(P)H oxidase, 2471
β-Nucleation, 1174
Biocidal polymer, 177
Biocompatibility, 1419, 2163
Biodegradable, 1219, 1253, 1434
Biodegradable polyester, 129
Biodegradation, 774, 2625
Biomaterials, 2729
Biopolymers, 1246, 1607
Biphenol, 2419
Bismaleimide, 227, 2935
Bis(thiophenol-F)glycidyl methacrylate resin, 1806
Blend membranes, 2014
Blends, 271, 307, 1110, 1118, 1219, 1297, 1408, 1736, 1802
Block copolymers, 244, 612, 1307
Blowing agents, 1496
Blown films, 2396
Bonding agents, 519
Branched, 1758
Branching parameters, 2445
Brittle–ductile transition, 1911, 2652
Butadiene, 2190
1,4-Butanediol, 2501

Calculations, 1779
Carbodiimide-mediated amidation, 1349
Carbon black, 358
Carbon Black, 2742
Carbon–carbon composite, 183
Carbon fiber, 153, 1031
Carbon fibers, 69
Carbon monoxide, 2436
Carbon tetrachloride, 785
Carbonaceous material, 785
Carboxymethylcellulose, 1019
Carboxymethyl chitosan, 1357
Catalysis, 2327
Catalyst, 25, 1897
Catalysts, 989, 1098, 1765
Cationic polymerization, 159, 2389
Cationic surfactant catalyst, 1652
Cellulose, 2535
Cellulose microcrystals, 1349
Cellulosic, 1161
Ceramic, 1077
Char yield, 831
Characteristic, 1843
Characterization, 944
Chelating fiber, 1378
Chelating polymer, 919
Chelating properties, 2929
Chemical cellulose, 1634
Chemical properties, 1399
Chemical treatment, 2594
Chestnut, 429
Chitosan, 530, 714, 989, 1832, 1956
Chlorine, 2458
Chlorosulfonic acid, 1881
Chlorpyrifos, 911
Cholesteric liquid crystal, 865
Cholesteric mesophase, 2155
Chondroitin sulfate, 114
Chromatography, 974, 2725
Chromium (Cr^{VI}), 2772
Chymotrypsin, 2108
Clay, 1370, 1607
Cluster model, 1137
$CoAlPO_4$-5/polysulfone membrane, 2172
Coatings, 879, 1387, 1443, 1477, 1749
Cold plasma, 2145

Colloid, 1888
Colon-specific drug delivery, 114
Color masterbatches, 2793
Color strength, 1897
Combustion, 1980
Comonomers, 69
Compatibility, 271, 595, 1434, 1581, 1736, 1961
Compatibilization, 847
Complex material, 2535
Complexation, 415
Complexing resin, 2559
Component chromatogram, 552
Composite, 129, 2136
Composites, 169, 342, 385, 455, 1031, 1429, 1465, 1961, 2377, 2913
Composition, 2946
Concentration, 865
Condensation, 571
Conducting polymers, 52, 814, 1227, 1429, 1904, 2287, 2699, 2772, 2833
Conductive composite, 2742
Conductive fibers, 1458
Conductivity, 52, 2317
Conductometry, 376
Cone calorimetry, 1980
Congo red, 632
Conjugated polymers, 2718
Contact angle, 1874, 1881
Continuous milling, 1484
Contrast agent, 1888
Controlled release, 911
Controlled-release systems, 1170
Conversion, 227
Coordination complex, 1929
Copolyesteramides, 774
Copolymer, 1057, 1858
Copolymerization, 9, 244, 500, 654, 670, 814, 900, 1227, 1503, 1749, 2219, 2327, 2540, 2580, 2609, 2718, 2808
Copolymers, 1328
Copolysulfoneimide, 1024
Copper, 1749
Core–shell acrylate latex, 1147
Core–Shell type nanoparticles, 2625
Core-shell polymers, 670, 1419
Corrosion protection, 1669
Corrosion resistance, 1749
Coupling agent, 257
Crack growth, 2491
Crease-resistant, 1008
Crease-resistant finishing, 509
Creep, 342
Crosslink density, 2025
Crosslinked chitosan, 530
Crosslinking, 84, 491, 509, 654, 762, 1008, 1263, 1581, 1758, 1787, 2034, 2244, 2287, 2485, 2540, 2764, 2853
Crosslinking agent, 1795
Crotonic acid, 726
Crystal structures, 1742
Crystallinity, 2594, 2890
Crystallization, 333, 1337, 1362, 1469, 1562, 2644, 2677
Crystallization characteristics, 1851
CT-complex, 1858
Cure reaction, 227
Curing, 509, 1806
Curing agents, 2100
Curing of polymers, 873, 2034
Curing reaction, 2335
Cyanate ester, 2377, 2419
Cyclic voltammetry, 1669
Cyclodextrin, 1771
Cyclodextrin glucanotransferase (CGTase), 2451
Cyclodextrins (CDs), 2451

Damage tolerance, 752
Damping coefficient, 2800
1D and 2D NMR, 1328
Defluorination, 1087
Degradation, 856, 974, 1676, 1698, 2458
Delignification, 622
Dental base material, 1683
Dental polymers, 467
Di Benedetto equation, 227
Dichlorosilane plasma, 2145
Diclofenac-Na, 193
Dielectric constant, 38
Dielectric loss, 1061
Dielectric properties, 263, 271
Dielectric relaxation, 2946
Dielectric relaxations and properties, 2271
Diels–Alder polymers, 1496
Differential scanning calorimetry, 1047, 2034, 2890
Differential scanning calorimetry (DSC), 321, 1219, 1236, 2431, 2885
Diffusion, 193, 1128, 2041, 2725, 2729
Dilute solutions, 1714
3,5-Dimethylphenyl acrylate, 2261
Dimethyl sulfoxide, 785
Direct polycondensation, 1399
Disperse dyes, 123
Dispersion copolymerization, 2230
Distributed control polymerization, 2922
Distribution coefficient, 1938, 2041
DMA, 366, 1683
Dopant, 1858
Drug delivery systems, 1644, 2041, 2540
DSC, 366
Dyeability, 1897
Dynamic contact angle, 1147
Dynamic mechanical analysis, 1277
Dynamic mechanical properties, 2600
Dynamic shear stress, 236
Dynamic vulcanization, 438
Dynamics, 104

E′, 366
Effluents, 1771
Elastomer, 9
Elastomer thermoplastic, 25
Elastomers, 762, 995, 1104, 2301
Electrical conductivity, 1706, 2271, 2564
Electrochemical polymerization, 2757
Electrochemistry, 514, 814, 1227, 1802, 2833
Electrodeposition, 1669
Electroless nickel, 1661
Electroluminescent device, 422
Electrolyte, 2478
Electromagnetic interference (EMI), 1661
Electron beam radiations, 1771
Electron microscopy, 514, 683, 701
Electron transfer, 2389
Electrostatic force, 638
Ellagic acid, 429
Ellagitannins, 429
Emeraldine base, 1571
Emissions, 139
Emulsion, 1888
Emulsion polymerization, 2219
Energy absorption, 752
Enhanced oil recovery, 2896
Enthalpy, 2594
Entry-pressure losses, 606
Enzymatic degradation, 1815
Enzymatic hydrolysis, 774
EPDM, 25
EPDM rubber, 2501
Epichlorohydrin, 1154
Epoxides, 159
Epoxidized natural rubber, 292
Epoxidized soybean oil, 2100
Epoxy, 1, 950, 2335, 2419

Epoxy resin, 1706, 2377
Epoxy resins, 371, 1477
Epoxy-curing accelerator, 873
Epoxymethacrylate, 1806
Equilibrium swelling, 1161
ESCA, 1253, 1867
ESCA/XPS, 1387, 1443, 2361
ESR, 1858
ESR/EPR, 1443
Esterification, 1434
Ethylene–propylene copolymer, 2084
Ethylene propylene diene monomer, 2178
Ethylene–propylene–diene terpolymer, 438
Ethylene–propylene rubber, 2178
Eucalyptus fibers, 2573
Experimental design, 1825
Extensional viscosity, 606

Factorial experimental design, 1571
Fe(III)-phthalocyanine, 2609
Fiber, 936
Fiber combination, 2100
Fiber friction, 394
Fiber pullout, 2588
Fiber reinforcement, 2100
Fiber–matrix interaction, 2800
Fibers, 1511, 1771, 2423, 2580
Fibrous, 1992
Filler dispersion, 385
Fillers, 455, 536, 995, 1207, 2301
Films, 2845
Filtration, 1771
Flame retardance, 821, 1207
Flame-retardants, 1477
Flavoenzymes, 2471
Flavopolymers, 2471
Flexural test, 2588
Flow property, 606
Flow-induced phase separation, 1714
Flow-injection polymer analysis, 2178, 2190
Fluorescence, 2718
Fluorescence spectroscopy, 622
Fluorocarbon films, 1843
Fluoropolymer, 1147
Fluoropolymers, 199, 906
Fluoropolymers, adhesion, 1749
Fourier transform, 475
Fourier transform infrared, 2458
Fourier transform infrared spectroscopy, 2317
Fractal dimension, 1137
Fracture behavior, 2588
Fracture mechanism, 1911
Fracture toughness, 1174
Free radical, 571
Free-radical initiator, 1929
Free radical polymerization, 2389
Free-radical polymerization, 2283, 2922
Friction and wear behavior, 2136
Friction ratio, 1484
Fringe analysis, 475
Front-to-back roll transition, 1484
FTIR, 199, 622, 638, 734, 814, 1357, 1469, 1503, 1619, 1676, 1970, 2699
FT-IR, 2361
FTIR photoacoustic spectroscopy, 2750
FTIR spectra, 2615
Fullerene, 2946
Fungal staining, 622

γ-irradiation, 886
γ-radiation, 1619
Gas transport, 2946
Gel, 1787
Gel permeation chromatography, 1047, 2283, 2287
Gel permeation chromatography (GPC), 1236
Gel polymer, 2119
Gelation, 632, 2833
Genetic algorithm, 2350
Glass fiber mat, 536
Glass fibers, 1683
Glass transition, 595, 670, 1236, 1429, 2244, 2294, 2431
Glass wool, 1061
Glass-transition temperature, 227, 366
Glycidyl methacrylate, 2261
Glycolysis, 2501
Graft, 2935
Graft copolymer, 1736, 2905
Graft copolymerization, 896
Graft copolymers, 1357, 2163, 2317, 2361
Graft terpolymer, 2119
Grafted polypropylene, 257
Grafting, 726, 2952
Grafting membrane, 2692
Grafting yield, 1061
Ground rubber, 2491

Hardness, 1246
Haze, 2396
Heat capacity, 1779
Heat-distortion temperature, 2652
Heavy metal recovery, 919
Heavy metals, 2772
HEMA, 1825
Hemoglobin, 104
Heparin, 1013
Heteroatom-containing polymers, 422, 1227
Heterogeneous sulfonation, 1881
Hevea brasiliensis, 622
High performance polymers, 2667
High solid latices, 2478
High temperature and high pressure, 2890
High T_g, 944
High yield, 1992
High-impact polystyrene, 1307
High-temperature GPC, 2178
High-value thermoplastic elastomers, 2276
HIPS, 1676
HIPS-g-GMA copolymer, 2600
HIPS/PBT blend, 2600
Hollow polystyrene microspheres, 1530
Homogeneous deformation, 701
Homogeneous hydrogenation, 1185
Hopping, 52
Hot wire, 1779
HTPB, DOA, 1002
HTPB prepolymer, 842
Hydrated radius, 2172
Hydrochloric acid, 371
Hydrogel, 104, 957, 2661
Hydrogels, 45, 801, 1419, 1644, 1787, 2423, 2540, 2729
Hydrogen bonding, 1970
Hydrogen sulfide, 2436
Hydrogenation kinetics, 1185
Hydrolysis, 2172
Hydrolytic degradation, 1815
Hydrolyzable tannins, 429
Hydrophilic polymers, 612, 1128, 1787
Hydrophilicity, 1881
Hydrophobicity, 1843
2-Hydroxyethyl methacrylate, 2729
Hydroxyl end groups, 1185
Hydroxypropyl cellulose, 865, 1161
Hyperbranched, 2718
Hyperbranched polyurethane, 2445

Imaging, 1128
Imidazole, 873
Immobilization, 1874, 2451
Impact behavior, 752
Impact fatigue, 2588
Impact toughening, 1593
Impact toughness, 1911
Impregnation efficiency, 183

In vitro, 2625
In vitro degradation, 936
Infrared spectroscopy, 2510
Initiators, 1581
Injection molding, 169
Inorganic materials, 1429
Interface, 536, 1607, 1843
Interface modification, 2485
Interfaces, 169, 1128, 1297, 2202, 2600, 2824, 2913
Interleaved structures, 752
Intermolecular interaction, 2528
Internal mixer, 92
Interpenetrating network, 911
Interpenetrating networks, 1161, 2287
Interpenetrating polymer network (IPN), 1956
Interpenetrating polymer networks, 545
Interpolymer complexes, 2699
Interpolymeric specific interaction, 415
Intraocular lenses, 2361
Intrinsic viscosity, 552
Intumescent flame-retardant, 257
Ion exchange, 792
Ion-exchange capacity, 2692
Ionic mobility, 1057
Ionic monomers, 1194
Ionization effect, 1057
Ionomers, 762, 2294
Irreversible process, 645
Isocyanurate groups, 84
Isophorone diisocyanate, 2552
Isoprene, 2190
Isotactic, 333, 734
Isotactic polypropylene, 1851
Isotactic poly(propylene), 1742
Itaconic acid, 193

Jute fiber, 2588, 2594

Ketones, 1019
Kinetic and equilibrium parameters, 123
Kinetic parameter, 1806
Kinetics, 509, 726, 1098, 1607, 2342, 2635
Kinetics of copolymerization, 2230
Kinetics (polym.), 2034
Kudzu, 1961

Lacquer, 595
Ladderlike copolysiloxane, 873
Lap joint shear strength, 2757
Latex, 2053
Latex property, 1736
Layered clay, 2677
Leaching, 1945
Lidocaine, 2625
Light-emitting diode, 422
Light fastness, 1897
Limiting viscosity number (intrinsic viscosity η]), 2875
Linear low-density polyethylene, 2485
Linear-low density polyethylene (LLDPE), 2396
Liquid crystal, 1104
Liquid crystalline, 2419
Liquid crystalline polymer, 1110
Liquid-crystalline polymers, 831, 2580
Liquid natural rubber, 1070
Lithography, 2092
Loss modulus, 2800
Low molecular weight silk fibroin, 2890
L-tyrosine, 2108
Lubricant/acid–base interaction, 394

Macromolecular coil, 1137
Macromolecule, 2528
Macromonomer, 900
Macromonomers, 1287
Macrosurfactants, 328
Magnetic polymer microspheres, 2609
Magnetic responsiveness, 2609
MALDI, 429
Maleic anhydride, 257, 2706
Mark–Houwink–Sakurada (M–H–S) coefficients, 2875
Mass spectrometry, 429, 821, 1511
Matrix, 536, 2853
Mechanical behavior, 1174
Mechanical properties, 17, 84, 209, 438, 455, 467, 491, 701, 995, 1031, 1469, 1593, 1624, 2211, 2294, 2301, 2412, 2580, 2667, 2824, 2862
Mechanical property, 1736
Mechanism, 726, 2317
Medical poly(vinyl chloride) (PVC), 1013
Melt, 333, 1587
Melt blown, 2885
Melt extrusion, 606
Melt processability, 69
Melt strength, 1408
Melting characteristics, 1851
Melting point, 632, 2335
Membrane, 139, 193, 282, 2521
Membrane emulsification, 1530
Membranes, 57, 514, 1118, 1624, 2725
Mercury ions, 2559
Mercury separation, 282
meta-dihydroxy benzene, 2025
Metal ion, 376, 530
Metal-ion-exchanged membranes, 1867
Metal ions, 1378, 2546, 2564, 2929
Metal salts of mono(hydroxy-pentyl)phthalate, 1194
Metal–polymer complexes, 2202, 2781
Metallocene, 25
Metallocene catalyst, 1851, 2913
Metallocene catalysts, 2635
Metal-polymer complexes, 1287
Metal-polymer composites, 1706
Methyl acrylate, 69
Methyl methacrylate, 1328
Methyl methacrylate-grafted rubber latex, 1736
Microbes, 1434
Microdeformation, 1207
Microencapsulated, 873
Microfiber, 2885
Micromechanical mechanisms, 683
Micromechanisms, 701
Microsphere, 900
Microstructure, 183, 307, 342, 2820
Microstructures, 1328
Milling behavior, 1484
Miniemulsion polymerization, 328
Miscelles, 2219
Miscibility, 1110, 1362, 1408
Mobility, 1
Modeling, 307, 571, 906, 1002
Modification, 536, 1287, 1897, 2254
Modification and manufacture, 153
Modification surfaces, 2163
Modifications, 1317
Modulus, 307
Moisture, 2594
Moisture absorption, 1031, 2824
Molar mass distribution, 2510
Molecular mass, 485
Molecular modeling, 159
Molecular size distribution, 552
Molecular structure, 1843
Molecular weight, 2521, 2890
Molecular weight distribution, 321, 1337
Molecular weight polydispersity, 552
Monomer synthesis, 2808
Monooxiranes, 159
Monovalent metal ions, 1867
Monte Carlo simulation, 929

Morphology, 57, 209, 438, 683, 847, 1110, 1174, 1277, 1362, 1904, 2580, 2600, 2692
Motional resistance (R_m), 2528
MTBE/methanol mixture, 714, 1832
Mullin's effect, 2025
Multidetector size exclusion chromatography, 2445
Multidistribution, 2609
Multiple-beam Fizeau fringes, 475
Multiple crystallization, 92
Multivariate calibration, 734

Nanocomposites, 2677
Nanoindentation, 394
Nanolayers, 1387
Nanoparticle filler, 2136
Nanostructure, 2677
Nanotechnology, 989
NaOCl, 2004
Natural fiber, 129, 1961
Natural fibers, 1465
Natural rubber, 1070, 2301, 2952
Natural rubber latex, 1070, 1307, 1736
Natural weathering, 1676
NBR, 2764
Near-infrared, 199
Network evolution and structure, 929
Networks, 84, 351, 429, 491, 856, 1104, 2423
N-halamine, 177
Nitrile rubber, 292
NMMO, 1634
NMR, 1503, 2261
N,N-methylenebisacrylamide, 1795
Nonvolatile solutes, 2041
NR, 2491
Nucleation, 2644
N-vinyl-2-pyrrolidone, 1328
Nylon, 2211
Nylon 6, 2317
Nylon-6 and poly(ethylene terephthalate) (PET) fibers, 394

Oil absorbent, 2119
Oily streak texture, 2155
OLED polymer, 2367
Oligoaniline, 218
Oligoketone, 485
Oligomer–metal complexes, 2004
Oligo-*o*-phenylazomethinephenol, 2004
Oligosalicylaldehyde, 218
Oligosalicylaldehyde-*graft*-oligoaniline, 218
One-point characterization, 2064
One-step, one-pot photoinitiation, 2389
Onium salt, 2389
On-line optimal control, 2350
Optically, 315
Optimization, 2350
Organic solvent, 2625
Organophosphorous polymers, 831
Organotin catalyst, 1929
Orientation, 236, 2301
Osmometry, 2875
Oxadiazole, 2367
Oxadiazole moiety, 422
Oxidation, 1019
Oxidative degradation, 1676
Oxidative polycondensation, 2004

p-Acryloazoanilide derivatives, 896
Palladium, 989
PAN precursor, 153
Particle, 1544
Particle morphology, 1530
Particle nucleation, 2230
Particle size, 2491
Peel strength, 1087
Permanganate, 1019
Permeability, 2458
Permeability coefficient, 193
Permeation, 2436
Permittivity, 1061
Pervaporation, 714, 1832, 1867, 2014
PET wastes, 2501
PFA, 1087
pH value, 2172
Phase behavior, 2956
Phase diagram, 57
Phase diagrams, 801
Phase equilibrium, 1938
Phase inversion, 1024
Phase lengths, 2382
Phase morphology, 92, 1593, 1911
PHB-*b*-PMMA, 965
PHB-diacid, 965
PHB-diol, 965
Phosphine-containing catalyst, 2335
Phosphorous compound, 1399
Phosphorus, 2367
Phosphorylation, 792
Photochemistry, 1581
Photochromism, 2155
Photoconductivity, 2609
Photocrosslink, 2119
Photodifferential scanning calorimetry, 159
Photooxidation, 1676
Photopolymerization, 159, 500, 2092
Physicomechanical properties, 1070
Piezoelectric quartz crystal, 2528
Plasma graft polymerization, 1874
Plasma polymerization, 263, 1387, 1443, 2361, 2845
Plug flow reactor, 2922
PMMA, 2350
Polarity, 896
Polyacrilic acid, 1619
Polyacryl amide, 1619
Polyacrylamide-grafted guar gum, 2014
Polyacrylamide–polyacrilic acid complex, 1619
Polyacrylate, 545
Polyacrylic acid, 114
Polyacrylonitrile, 69
Polyacrylonitrile butadiene styrene), 1904
Poly(acrylonitrile–butadiene–styrene), 17
Polyallylamine, 1956
Polyaluminocarbosilane, 2787
Polyamide, 645
Polyamide 6, 199
Polyamide 6/ethylene vinyl acetate blends, 1593
Poly(amide imide), 1399
Polyamides, 9, 199, 612
Polyaniline, 1571, 1669, 2772
Polyaniline derivatives, 2564
Polyaniline (PANI), 1458
Polyaniline/poly-ω-amino-undecanoyle (PA11), 1458
Polyaromatic, 1802
Polybutadiene, 244
Polybutadiene diol, 84
Polycarbonate, 950, 2327
Polycarbonate/polypropylene, 92
Polycarbosilane, 2787
Polychelates, 2546
Polychlorotrifluoroethylene, 199
Polycondensation, 315
Polydimethylsiloxane, 957
Poly(dimethylsiloxane), 2458
Polydimethylsiloxane (PDMS), 1888
Polydispersity, 2283
Polyelectrolyte, 1521
Polyelectrolyte complex, 638
Polyelectrolytes, 612, 1118
Polyester, 177
Poly(ester amide)s, 1815

Polyester fibers, 123
Poly(ester-imide)s, 315
Polyesters, 1765, 1815, 2677, 2853
Polyether, 1802
Poly(ether sulfones), 1297
Poly(etherether ketone), 485
Polyetherimide, 950
Polyetherols, 1154
Polyethers, 9
Polyethylene, 282, 974, 2145, 2793, 2905
Polyethylene fiber, 475
Polyethylene film, 2451
Poly(ethylene glycol), 1008, 2108, 2935
Poly(ethylene glycol) grafting, 1349
Poly(ethylene oxide), 2820
Polyethylene (PE), 321, 1207, 1408, 1581
Poly(ethylene terephthalate), 1874, 2885
Polyimide, 139, 1297, 1802, 2867
Polyimides, 1317
Poly(L-lactic acid), 936
Poly(L-lactide)/poly(ethylene glycol) diblock copolymer, 2625
Polymacromonomer, 2929
Polymer, 2896
Polymerization, 571, 2350, 2808
Polymerization condition, 1571
Polymerization-induced phase separation, 1277
Polymerization technology, 2130
Polymers, 1779, 2635
Poly(meth)acrylate, 746
Polymethyl methacrylate, 2361
Poly(methyl methacrylate), 467, 886, 1683, 2652
Polymethylsilsesquioxane, 1077
Poly(*N*-vinylformamide/acrylonitrile), 1378
Poly(*N*-vinylimidazole), 376
Polyol, 2615
Polyolefin blends, 236
Poly(phenylene oxide), 1118
Poly(phthalazine ether sulfone ketone), 2136
Polypropylene, 257, 358, 438, 536, 734, 847, 1061, 1110, 1174, 1961, 2239, 2644, 2706, 2824
Poly(propylene), 2885
Polypropylene composites, 1911
Polypropylene films, 1553
Polypropylene (PP), 333, 2412
Poly(propylene) (PP), 169, 1758, 1771
Poly(propylene terephthalate), 2271
Polypropylene/clay nanocomposites, 1562
Polypyrrole, 52
Polypyrrole coatings, 2757
Polypyrroles, 263, 514
Polysaccharides, 1019, 1246
Polysilanes, 1047
Polysiloxane, 545
Polysiloxanes, 500, 746, 873, 2431
Polystyrene, 244, 500, 654, 670, 1370, 1938, 2074, 2130, 2230, 2922, 2946
Poly(tBS-EPDM-DVB), 2119
Polytetrafluoroethylene (PTFE), 1661
Polytetramethylene glycol, 2552
Polyurethane, 193, 1170, 1465, 1970
Poly(urethane–imide), 944
Polyurethane networks, 842, 1929
Polyurethanes, 84, 1194, 1945, 2254, 2956
Poly(vinyl alcohol), 957, 1644
Poly(vinyl alcohol) (PVA), 1992
Poly(vinyl chloride), 199, 1544
Poly(vinyl pyrrolidone), 2820
Poly(vinylalcohol), 2471
Poly(2-hydroxypropyl methacrylate), 2750
Porosity, 1544
Positive temperature coefficient (PTC), 2742
Potato starch, 896
Preparation, 944
Pretreated polyesters, 1652
Processability, 1070, 1484
Processing characteristics, 2377
Prodrug, 2108
Propellant, 2808
Properties, 545, 1137
Proton acceptor, 415
Proton donor, 415
PU, 1980
PVA, 632
PVA/SSA, 1867
PVC, 2501
PVDF/P(VDF–TrFE) blends, 1362
Pyrolysis, 785, 821, 1077
Pyrolytic gas chromatography with mass spectrometry, 1349

Quartz crystal microbalance, 2772

Radiation, 1676, 1758, 1787
Radiation crosslinking, 2742
Radiation damage, 886
Radiation grafting, 282
Radiation-induced grafting copolymerization, 2451
Radical polymerization, 244, 2034, 2230
Rate constant, 842, 2317
Reaction course, 1154
Reaction energetics, 159
Reaction-induced phase separation, 950
Reaction kinetic, 2952
Reaction mechanism, 2787
Reactive compatibilization, 2084
Reactive extrusion, 2130, 2706
Reactive mixture, 847
Reactive processing, 762, 2615
Recoverable shear strain, 865
Recycling, 906, 1765, 2211, 2276, 2294, 2471
Redox polymerization, 965
Reflection spectra, 1897
Refractive index, 38
Refractive index profile, 475
Reinforcement, 536, 2053, 2301, 2667
Reinforcement modifier, 292
Reinforcements, 1683
Rejection rate, 2172
Relaxation, 271
Relaxation spectra, 2615
Release, 1644
Resin impregnation method, 183
Resins, 1496
Retention properties, 2559
Rheological behavior, 257
Rheology, 762, 1002, 1408, 1521, 1587, 1888, 2092, 2396, 2793, 2913
Rheo-optical properties, 1714
Rigid rod, 2419
Ring-opening polymerization, 159
Rubber, 491, 746, 2053, 2412, 2667, 2764

Sampling, 1970
SB star block copolymer, 701
SB star block copolymers, 683
SBR, 2491
SBS, 847
Scanning electron microscopy, 193, 622
Scanning electron microscopy (SEM), 1458
Screw configuration, 2276
Second-order nonlinear optics, 944
Selectivity, 2559
Self-assembly, 638, 638
Self-developing, 645
Self-doped polyaniline, 1227

Semicrystalline polymers, 358
Semi-empirical calculation, 2335
Semiempirical calculations, 2546
Semi-interpenetrating polymer network, 114
Sensors, 2510
Separation techniques, 1511
Sequence distribution, 1328
Sequential IPN, 1825
Shear, 1511, 1521
Shear rate, 2896
Shear stress, 865, 2896
Shear thickening, 1714
Shelf life, 873
Shielding, 1661
Silane, 2485
Silane coupling, 1087
Silane coupling agent, 2573
Silica, 292, 989, 2053
Silica-filled compounds, 385
Silicas, 1287, 2074
Silicone rubber, 1825
Silicones, 1624, 2244
Silk fibers, 2382
Sisal, 2145
Size-exclusion chromatography, 552
Sliding, 1661
Small-angle X-ray scattering, 17
Small-angle X-ray scattering (SAXS), 2382
Smart hydrogels, 1161
Smectic, 2155
Sodium alginate, 714, 911, 1832, 2014
Sol–gel method, 2053
Solid freeforming fabrication, 2100
Solid state nuclear magnetic resonance, 1
Solid-state NMR, 919
Solid-state nuclear magnetic resonance spectroscopy, 1465
Solubility, 38, 1399
Solution, 1137
Solution properties, 2041
Solvent-resistant, 139
Solvents, 1652
Spatial hindrance, 896
Spectral studies, 831, 1194
Spectroscopy, 199
SPG membrane, 1530
Spin finish, 394
Spiroorthocarbonates, 159
Spontaneous polymerization, 1749
Stabilization, 2230, 2239
Stabilizer, 900
Stabilizers, 2808
Star-branched polymer, 552
Step polymerization, 485
Step-growth polymerization, 1141
Steric stabilization, 1349
Stimuli-sensitive polymers, 351, 2423
Storage modulus, 2800
Structure, 429, 545, 1357, 1806, 2725, 2839
Structure and performance, 2521
Structure and properties, 153
Structure–property relationships, 1624
Styrene, 2190
Styrene butadiene rubber, 519
Styrene–butadiene rubber, 385
Styrene-maleic anhydride, 2615
Styrene–maleic anhydride, 2652
Styrene ζ potential, 2478
Styrenic block copolymers, 2190
Superabsorbent polymer, 1795
Supercritical fluid, 1938
Supramolecular structure, 429
Surface degradation, 622
Surface free energy, 2757
Surface functionalization, 2145
Surface modification, 1013, 1061, 1087, 1904, 2025, 2361, 2573
Surface roughness, 2396
Surfaces, 536, 906, 1253, 1287, 1511, 2845
Surface treatment, 129
Surfactants, 612, 1544
Suspension polymerization, 1530, 1544
Swelling, 45, 114, 351, 654, 801, 1008, 1419, 2211, 2423, 2540, 2661
Swelling-controlled release, 104
Swelling measurement, 1867
Switchable, 1057
Syndiotactic, 632, 734
Syndiotactic polystyrene, 2084, 2635
Syndiotacticity, 1992, 2820
Synergistic effect, 2800
Synthesis, 530, 2283, 2327, 2787, 2839
Synthesis and properties, 218

Tannins, 429
Tapered block copolymer, 701
TDI curative, 842
Telechelic, 351
Telechelic polybutadienes, 1185
Temperature modulated DSC (TMDSC), 1263
Tensile properties, 936
Tensile strength, 236
Ternary metal complexes, 2699
Tertiary butyl alcohol (TBA), 1992
Tetrafluoroethylene–perfluoroalkyl vinylether copolymer, 1087
TGA, 814
Theoretical modeling, 2922
Thermal analysis, 2594, 2808
Thermal crosslinking, 1874
Thermal degradation, 2535, 2552, 2594, 2952
Thermal imidization, 38
Thermal properties, 183, 315, 856, 1141, 1194, 1399, 1553, 1779, 1956, 1970, 2254, 2261, 2600, 2661, 2935
Thermal property, 2890
Thermal stability, 485, 831, 2692
Thermally initiated emulsion polymerization, 2478
Thermodynamics, 645, 801
Thermogravimetric, 371
Thermogravimetric analysis, 218, 821, 1503, 1698, 2552, 2890
Thermogravimetric analysis (TGA), 315, 1141
Thermoplastic composite, 536
Thermoplastic elastomer composites, 438
Thermoplastics, 9
Thermosets, 856, 1104, 1263, 2034, 2202
Thin films, 263
Thin-layer yielding, 683
Three-dimensionally (3D) braided, 1031
Time-resolved small-angle laser light-scattering, 950
Toughness, 209
Toughening mechanism, 683
Transition-metal acetate, 1170
Transition metal chemistry, 2781
Transmission electron microscopy, 17, 358
Triethylene glycol, 2501
Triethylsilylcellulose (TESC), 2875
Trimethylsilylcellulose (TMSC), 2875
Triphenylsilylcellulose (TPSC), 2875
Trithiocyanuric acid, 1154
Trommsdorff–Norrish effect, 2283
Twin-screw extruder, 2130

Ultrafiltration, 1024
Ultrahigh molecular weight, 1992
Ultraviolet irradiation film, 645
UV curing, 1980

UV cutoff, 38
UV-reactive phosphazene, 1980

Vacuum pyrolysis, 139
van der Waals force, 2025
Vapor permeation, 139
Vibration, 92, 1587
Vinyl pivalate (VPi), 1992
Viscoelastic properties, 342, 595, 1429, 2615, 2793
Viscometry, 376, 415, 2875
Viscosity, 1002, 2431, 2896
Viscosity-average molecular weight, 936
Visible light-induced polymerization, 159
Vitrification, 1263

Waste, 906, 1765, 1945
Waste EPDM/PP blend, 2276
Water absorbency, 1795
Water absorption, 1
Water contact angle, 1087
Water diffusion, 1
Water-dispersible polyurethanes, 2552
Water–ethanol mixtures, 1867
Water impermeability, 1749
Water–isopropyl alcohol, 2014
Water retention, 1795
Water soluble polymers, 1521
Water-soluble polymers, 879, 2202, 2546, 2699
Water structure, 2729
Water vapor separation, 139
Weathering, 622
Wet-spinning, 1378
Wet-spinning technology, 1458
White rice husk ash, 438
Wide-angle X-ray diffraction, 2890
Wood, 595
Wood drying, 139
Wood flour, 536, 2824
Wood phenolysis, 1098
Wool, 2317
Work of adhesion, 2757

XPS, 1858
X ray, 2244
X-ray, 638, 1469
X-ray diffraction, 1236

Yellowing, 886
Yield, 1571
Yielding, 455

Zero-shear viscosity, 2064
Ziegler–Natta catalyst, 1851
Ziegler nickel hydrogenation catalysts, 1185